

Iranian Journal of Organic Chemistry

IranJOC Vol. 8, No. 1, 2016


Contents

Graphical Abstracts

Access to arylmethylidene-isoxazol-5(4H)-ones and benzylidenemalononitriles promoted by imidazole as an efficient organocatalyst pp 1689-1691

Abdul Ahad and Maqdoom Farooqui*

Post Graduate and Research Center, Dr. RafiqZakaria Campus, Maulana Azad College, Rouza Baugh, Aurangabad(M.S),India.




Synthesis of isoxazol-5(4H)-ones and benzylidene malononitriles

Synthesis and antibacterial of oxopyrano chromene derivatives through the multicomponent reaction of 4-hydroxycumarin derivatives with dialkylacetylene dicarboxylates and isocyanides catalyzed by piperidine

pp 1693-1701

Mazarbanou Asnaashariisfahani* and Mohsen Heidari

Department of Chemistry North Tehran Branch, Islamic Azad University, Tehran, Iran.




A DFT treatment on nitro derivatives of pyrazine

pp 1703-1716

Mehdi Nabati*

Chemistry Department, Faculty of Science, Azarbaijan Shahid Madani University, Tabriz, Iran.




CuI nanoparticles: A highly efficient catalyst for expedient and mild synthesis of dihydrochromeno[*b*]chromenone derivatives

pp 1717-1722

Narges Barghamadi and Shahrzad Abdolmohammadi*

Department of Chemistry, Faculty of Science, East Tehran Branch, Islamic Azad University, PO Box 33955-163, Tehran, Iran.




Density Functional Theory studies of hydroxybutanones

pp 1723-1729

Mousa Soleymani*

Department of Chemistry, Faculty of Basic Science, University of Ayatollah Borujerdi, Borujerd, Iran.




BF₃.SiO₂: an efficient catalyst for the synthesis of tetrasubstituted pyrrole derivatives

pp 1731-1735

Ali Akbari* and Hassan Raiesi Ahovan

Department of Chemistry, Faculty of Science, University of Jiroft, Jiroft, P. O. Box 8767161167, Iran.





Synthesis of polyaniline/nanosilica nanocomposite for removal of reactive orange 16 from aqueous solutions

pp 1737-1744

Habib-Allah Tayebi*

Department of Textile Engineering, Qaemshahr Branch, Islamic Azad University, Qaemshahr, Iran.




Synthesis of substituted benzothiazole from 2,3,4 (tri substituted benzaldehyde) – N-(6,7-substituted-1,3-benzothiazol-2 yl) semicarbazone

pp 1745-1748

Sibaji Sarkar*

Department of pharmaceutical chemistry, Noble Pharmacy College, NearBamangam, Via-Vadal, Junagadh, Gujarat- 362310, India.



Com.	R	R1	R2
A11	H	Cl	4-OCH ₃
A12	H	Cl	2-CH ₃
A13	H	Cl	3-CH ₃
A14	H	Cl	H
A15	H	Cl	2-OCH ₃