Available online at http://ijdea.srbiau.ac.ir

Int. J. Data Envelopment Analysis (ISSN 2345-458X)

Vol.2, No.3, Year 2014 Article ID IJDEA-00233, 16 pages

Research Article



Science and Research Branch (IAU)

International Journal of Data Envelopment Analysis

# A Modified Directional Distance Formulation of DEA with Malmquist Index to Assess Bankruptcy

E.Mirzaie<sup>a</sup>, N.Malekmohammadi<sup>a\*</sup>

(a) Department of Mathematics, Faculty of Science, Islamic Azad University, South Tehran Branch, Tehran, Iran

Received 7 May 2014, Revised 25 June 2014, Accepted 20 September 2014

# Abstract

Bankruptcy in the same amount of time and history is very rampant and therefore the vision of the future can be prevented. Using data envelopment analysis (DEA) and malmquist index can precise evaluating of the performances of many different kinds of decision making units (DMU) such as hospitals, universities, business firms, etc. In this paper, we will modify directional distance formulation of DEA to assess bankruptcy with using malmquist index. This method is the most general non-radial directional distance model. The method measures worst relative efficiency within the interval of zero to one for various period times. Model locates worst performing DMUs and determines an inefficient frontier model simultaneously with decrease of output and increase of input. By using malmquist index we measure the productivity for various years .This study introduces a precise and comprehensive bankruptcy measure that could be used as an early warning system for bankruptcy assessment.

*Keywords*: Data Envelopment Analysis, Directional Distance function, Bankruptcy, Productivity, Malmquist.

### **1. Introduction**

Bankruptcy in the same amount of time and history is very rampant. This occurs when the bankruptcy statutory which the company sold assets to pay debts Wimboh [32]. So the vision of the future can be prevented. Forecasting is an issue that has preoccupied the human mind to itself. Particularly can be

<sup>\*</sup>Corresponding author: n\_malekmohammadi@azad.ac.ir

said which one of the most important tasks science in various context has effort for discover relation meddle various phenomenon for forecasting of the future Tsaur [27].

Because the failure of some companies to continue their outward life therefore they will be indirectly lead to wasting resources. Newton [19] tell the lack of teaching, experience, and inefficiency management for remaining competitive in the business, which makes trouble. Many studies have been done on the decision to invest one thing that can help investment decision making is appropriate tools and models to assess the financial condition and state organizations.

One of the tools used for the decision to invest in a company are bankruptcy prediction models which indicated in two methods .The first method is the probability of bankruptcy by a group of financial ratios have been estimated by expert to be combined. In the second method, the probability of bankruptcy through changes in market risk as the variance rate of return for a share of systematic risk occurs. In the periods, a company has good output. But this growth is not constant. When productivity is important in the company then the company can hope to profit alirezaie [4]. Sten (1953) discovered index value and by using this index evaluated companies and institutions. Cave D.W, and L.R.Christensen [7] discovered how distance function could be used by productivity change in the malmquist productivity index. The feature of this index is that this index is decomposed into subsections. Fare [8] showed that the Malmquist productivity index is decomposed into technical change and technical efficiency change. Wang [30] by using the Malmquist index studied Capital Management in Pharmaceutical Industry in Taiwan. The results showed that seven companies had good worked and have better management and five other companies do not have good management. Abdul Rahman et al. [1] by using malmquist productivity index studied performance in the Sugar Industry. The total productivity growth measure using by panel data (Panels) of 20 companies in Karachi Stock Exchange during 1998- 2007. The results showed that the growth of the sugar industry 8% improved while technical efficiency change management declined 8%. Basti and Akin [5] studied performance productivity in familiar companies and unfamiliar companies in Turkey during the years 2003-2007 using by malmquist productivity index. The results showed that the differences have not between familiar and unfamiliar companies. Average productivity of both companies during the period except year 2006 has been reduced. Abdul Rahman et al [2] studied performance growth productivity in production industry using by malmquist index during a 10-year period in exchange. The results showed that total productivity have complex process. According to these results, the cement industry, oil and gas situation were relatively permanent. Most of the industries have much progress in technical productivity, but a few industries, with technological change on productivity growth had a negative impact. Diaz and Sanchez [12] showed the performance of small and medium Spanish companies during the years 1995- 2001.By using stochastic frontier in production function calculated the performance. The results showed that small and medium companies had the most productivity, and small companies can get out of economic problems easily. Sten Throe et al [25] by using malmquist index studied on the financial statements in American company.

Researchers combined the knowledge of the malmquist productivity index with DEA. Rezitis [21] showed this index in methods non-parametric DEA is important. This index using by of distance function measure the productivity change between two different times.

Fare et al. [8] developed a Malmquist productivity index. He using by opinions Farrel [16] developed Malmquist productivity index for each unit of output and production inputs.

In this paper, a directional distance formulation of DEA by Shetty et al [24] to predict the bankruptcy was developed, by using Malmquist productivity index which will be modified. Here a model to measure the worst relative performance within the range of zero to one. This is contrary to the best relative performance in data envelopment analysis. By using the Malmquist productivity index to measure productivity, the study introduces a precise and comprehensive bankruptcy measure that could be used as an early warning system for bankruptcy assessment.

#### 2. Methodology

Using data envelopment analysis (DEA) can precisely evaluate the performances of many different kinds of decision making units (DMU) such as hospitals, universities, business firms, etc. In addition, DEA has more profit when other approaches have complexity (often-unknown) nature of the relations between the multiple inputs and multiple outputs involved in DMUs Cooper et al. [10].

### 2.1. Data envelopment analysis

Here, we briefly describe DEA formulation of Fare et al. (1994) Malmquist productivity index can be calculated from the distance below, or other similar functions.

 $D(X_0, Y_o) = \inf \{\theta / (\theta X_0, Y_o)\} \in PPS$ 

Efficiency frontier using DEA techniques for decision-making units is specified. For calculate the Malmquist productivity index first describe linear programming by Charnes et al. [9] in the nature of input between two various time.

$$O \ \epsilon Q = \{1, 2...n\}$$

$$D_{o}^{t}(X_{o}^{t}, Y_{o}^{t}) = Min \ \theta$$
s.t
$$\sum_{j=1}^{n} \lambda_{j} x_{ij}^{t} \le \theta x_{io}^{t} \qquad i=1, 2... m \qquad (M_{1})$$

$$\sum_{j=1}^{n} \lambda_{j} y_{rj}^{t} \ge y_{ro}^{t} \qquad r=1, 2... s$$

$$\lambda_{j} \ge 0 \qquad j=1, 2... n$$

Assuming that there are a set of 'n' DMUs, each operating with 'm' inputs and 's' outputs. All data are assumed non-negative but at least one component of every input and output vector is positive and is given by

 $x_{ij} \ge 0$   $x_j \ne 0$   $y_{rj} \ge 0$   $y_j \ge 0$   $y_j \ne 0$  for j=1, 2... n

 $x_{io}^{t}$ ,  $y_{ro}^{t}$  are the input and output of DMU<sub>o</sub> at time (t). The performanceD<sub>o</sub><sup>t</sup>(X<sub>o</sub><sup>t</sup>, Y<sub>o</sub><sup>t</sup>) =  $\theta^{*}$  shows how much input DMU<sub>o</sub> can be decreased until the output is produced. Instead of t in the above model, if we replace t+1, this DMU<sub>o</sub> has Technical efficiency at the time t+1. The D<sub>o</sub><sup>t</sup>(X<sub>o</sub><sup>t+1</sup>, Y<sub>o</sub><sup>t+1</sup>) measures DMU<sub>o</sub> distance in time t+1 with frontier t. linear programming is as follows:

$$\begin{split} & D_{o}^{t}(X_{o}^{t+1},Y_{o}^{t+1}) = Min \ \theta \\ \text{s.t} \quad & \sum_{j=1}^{n} \lambda_{j} x_{ij}^{t} \leq \theta \ x_{io}^{t+1} & i=1,2 \ \dots m \\ & \sum_{j=1}^{n} \lambda_{j} y_{rj}^{t} \geq y_{ro}^{t+1} & r=1,2 \ \dots s \\ & \lambda_{j} \geq 0 & j=1,2 \ \dots n \end{split}$$

The same can be measure  $D_0^{t+1}(X_0^t, Y_0^t)$  for  $DMU_0$  with coordinates t, relative to t+1.

$$\begin{split} D_o^{t+1}(X_o^t,Y_o^t) = & \text{Min } \theta \\ \text{s.t} \quad \sum_{j=1}^n \lambda_j x_{ij}^t \leq \theta x_{io}^{t+1} & \text{i=1, 2 ...m} \\ \sum_{j=1}^n \lambda_j y_{rj}^t \geq y_{ro}^{t+1} & \text{r=1, 2 ...s} \\ \lambda_j \geq & \text{j=1, 2 ...n} \end{split}$$

Far et al. (1994) assumed that  $D_0^{t+1}(X_0^{t+1}, Y_0^{t+1})$  and  $D_0^t(X_0^t, Y_0^t)$  when will be efficient if both of them are equal to one. The change in relative performance was defined as  $\text{TEC}_0 = \frac{D_0^{t+1}(X_0^{t+1}, Y_0^{t+1})}{D_0^t(X_0^t, Y_0^t)}$ . The rate of technological change between two times t and t +1 as geometric composition is expressed:

$$FS_{o} = \left[\frac{D_{o}^{t}(X_{o}^{t+1}, Y_{o}^{t+1})}{D_{o}^{t+1}(X_{o}^{t+1}, Y_{o}^{t+1})} \cdot \frac{D_{o}^{t}(X_{o}^{t}, Y_{o}^{t})}{D_{o}^{t+1}(X_{o}^{t}, Y_{o}^{t})}\right]^{1/2}.$$
Three cases occur:

1)  $FS_0 > 1$  moving frontier is positive or development observed.

2)  $FS_o < 1$  moving frontier is negative.

3)  $FS_0 = 1$  the frontier does not change.

Malmquist productivity index obtained with the product of changes in efficiency and technology changes:

 $M_{0} = \left[\frac{D_{0}^{t}(X_{0}^{t+1}, Y_{0}^{t+1})}{D_{0}^{t}(X_{0}^{t}, Y_{0}^{t})} \cdot \frac{D_{0}^{t+1}(X_{0}^{t+1}, Y_{0}^{t+1})}{D_{0}^{t+1}(X_{0}^{t}, Y_{0}^{t})}\right]^{1/2}$ . This value is expressed as a convex combination of geometric.

Because the shortest weaknesses specify in efficiency, and the shortest change affects in efficiency Malmquist productivity index.

1)  $M_0 > 1$  so Productivity will be increased.

- 2)  $M_o < 1$  so Productivity will be decreased.
- 3)  $M_o = 1$  so productivity is constant.

### 2.2. Directional distance formulation of DEA with Malmquist index:

Directional vector for directional distance function evaluated is very important. Using the VRS DEA formulation for the directional distance function developed by Chambers et al. [8] describe formulation Malmquist directional distance function. To arbitrary, choose two of the limitations of linear programming problems, (2b) and (2c):

$$\begin{array}{ll} & \text{Max} \quad \beta \\ \text{s.t} & \sum_{j=1}^{n} \lambda_j y_{rj}^t - \beta g_{y_{ro}} \geq y_{ro}^t \qquad (2b) \\ & \sum_{j=1}^{n} \lambda_j x_{ij}^t + \beta g_{x_{io}} \leq x_{io}^t \qquad (2c) \\ & \sum_{j=1}^{n} \lambda_j = 1 \\ & \lambda_j \geq 0 \quad j = 1\,,2\,,...,n \\ & g_{y_{ro}}g_{x_{io}} \geq 0 \qquad \beta \ \geq 0 \end{array}$$

$$\begin{array}{lll} & Max & \beta \\ s.t & \sum_{j=\imath}^{n} \lambda_j y_{rj}^{t+1} - \beta g_{y_{ro}} \geq y_{ro}^{t+1} & (M_2) \\ & \sum_{j=1}^{n} \lambda_j x_{ij}^{t+1} + \beta g_{x_{io}} \leq x_{io}^{t+1} \\ & \sum_{j=1}^{n} \lambda_j = 1 \\ & \lambda_j \geq 0 \quad j = 1, 2, \dots, n \\ & g_{y_{ro}} g_{x_{io}} \geq 0 \quad \beta \ \geq 0 \end{array}$$

Max *β* 

s.t 
$$\begin{split} \sum_{j=1}^{n} \lambda_j y_{rj}^{t+1} &- \beta g_{y_{ro}} \geq y_{ro}^t \\ \sum_{j=1}^{n} \lambda_j x_{ij}^{t+1} &+ \beta g_{x_{io}} \leq x_{io}^t \\ \sum_{j=1}^{n} \lambda_j &= 1 \\ \lambda_j \geq 0 \quad j = 1, 2 \dots, n \\ g_{y_{ro}} g_{x_{io}} \geq 0 \quad \beta \geq 0 \end{split}$$

Max β

$$\begin{split} \text{s.t} \qquad & \sum_{j=1}^n \lambda_j y_{rj}^t - \beta g_{y_{ro}} \geq y_{ro}^{t+1} \\ & \sum_{j=1}^n \lambda_j x_{ij}^t + \beta g_{x_{io}} \leq x_{io}^{t+1} \\ & \sum_{j=1}^n \lambda_j = 1 \\ & \lambda_j \geq 0 \quad j = 1,2,\dots,n \\ & g_{y_{ro}}g_{x_{io}} \geq 0 \quad \beta \ \geq 0 \end{split}$$

The factor  $\beta$  is measure of technical inefficiency and its efficiency is ( $\beta$ -1). At the time, this model being to increase output and decrease input. Input- oriented model and output-oriented model can be obtained, if setting directional vector  $g_{y_0}$  or  $g_{x_0}$  equal to zero respectively in Eqs. (2b) and (2c)

# 2.3. A modified directional distance formulation of DEA to assess bankruptcy with Malmquist index

One of the method bankruptcy assessment developed using by the additive DEA. Premachandra et al. [20] by using DEA additive model take a set of financial ratios as output variables, so lower value of a ratio indicates better progress of the firm and, another set of financial ratios as input variables that higher value of these ratios indicate better progress of the firm. The method has disadvantages, such as, input and output variables are in reverse order to conventional DEA assessment and, this would generally lead to different results and while estimating efficient input–output levels for non-default units, they do not provide any measure of bankruptcy and, the results are units dependent.

Therefore, this paper develop a model to measure worst relative efficiency in the range of zero to one that locate worst performance of DMUs and determine an inefficiency frontier. This approach is contrary to the best relative efficiencies of conventional DEA models and directional distance formulation of DEA. In this model have increase inputs and decrease outputs. White [31], believe that competition move to markets toward a state of equilibrium, thus the firms will be to remain which they with average costs production little. While inefficient firms using by an old technologies and producing in excess supply are eliminated. In this study, the inputs will be increase and the outputs are decrease therefore this is unfavorable situation, and bankruptcy score should be assessed in the direction of anti-ideal DMU. Wang and Yang [29] called this DMU as anti-ideal DMU. Therefore denote inputs and outputs of this anti-ideal DMU as  $(x_i^{max}), \ldots i = 1, 2 \ldots m, (y_r^{min}), \ldots r = 1, 2 \ldots s$  are the maximum inputs and minimum outputs among all the DMUs, i.e.

$$x_i^{\max} = \max (x_{ij}) \dots \quad i=1, 2 \dots m$$

$$y_r^{\min} = \min(y_{rj}) \dots \quad r=1, 2, \dots, s \quad j=1, 2, \dots, n$$
(E1)

436

Let  $DMU_o$  be one of the DMUs, this is to be evaluated for bankruptcy assessment. The corresponding input-output bundle  $(X_o, Y_o)$  and a directional input and output bundle  $(g_x, g_y)$  are used in development of bankruptcy assessment model through directional distance formulation. The initial steps in the development are (i) the construction of the feasibility set and (ii) the estimation of the maximum feasible contraction of the outputs and/or expansion of the inputs of the DMU within feasibility set. The feasibility set T is defined such that

If 
$$(x_j, y_j) \in T$$
 for  $j = 1, 2, ..., n$   
 $(x,y) \in T$   $(u,v) \in \mathbb{R}^+$ ,  $(x',-y') \leq (x,-y)$   $x' = x - uy' = y+v$   $(x',y') \in T$   
if  $(x,y)\in T$   $(x',y') \in T$   $(x^*,y^*) = \lambda(x,y) + (1-\lambda)(x',y') \leq \eta \leq v \rightarrow (x^*,y^*) \in T$   
if  $(x,y)\in T \rightarrow (\lambda x, \lambda y)\in T \quad \forall \lambda > v$ 

Therefore, the possibility of the following occurs:

$$T_{\text{VRS}}^{\text{BR}} = \{(x, y): x \leq \sum_{j=1}^{n} \lambda_j x_{ij}, y \geq \sum_{j=1}^{n} \lambda_j y_{rj}; \sum_{j=1}^{n} \lambda_j = 1; \lambda_j \geq 1\} (\text{E2})$$

So for estimate the bankruptcy measure of  $DMU_o$  therefore modify an improved efficiency measure through directional distance formulation of DEA–minimization model developed by Shetty and pakkala [23] for the feasibility set defined in (E2) with Malmquist index:

$$\begin{split} & \text{Min D } (x_{o}^{t}, y_{o}^{t}) = \delta = \frac{1 - (\sum_{i=1}^{m} \frac{\beta_{io}^{-}}{m})}{1 + (\sum_{r=1}^{s} \frac{\beta_{ro}^{+}}{s})} \\ & \text{s.t } \sum_{j=1}^{n} \lambda_{j} y_{rj}^{t} + \beta_{ro}^{+} g_{y} \leq y_{ro}^{t} \\ & \sum_{j=1}^{n} \lambda_{j} x_{ij}^{t} - \beta_{io}^{-} g_{x} \geq x_{io}^{t} \\ & \sum_{j=1}^{n} \lambda_{j} = 1 \\ & \beta_{ro}^{+}, \beta_{io}^{+}, g_{y}, g_{x}, \geq 0 \\ & \lambda_{j} \geq 0 \quad , \quad j = 1, 2, ..., n \quad , \quad i = 1, 2, ..., m \quad , \quad r = 1, 2, ..., s \end{split}$$

$$\operatorname{Min} D(x_0^{t+1}, y_0^{t+1}) = \delta = \frac{1 - (\sum_{i=1}^{m} \frac{\beta_{i0}}{m})}{1 + (\sum_{r=1}^{s} \frac{\beta_{r0}^{+}}{s})}$$

$$\begin{split} \text{s.t} \quad & \sum_{j=1}^{n} \lambda_j y_{rj}^{t+1} + \beta_{ro}^+ \, g_y \leq y_{ro}^t \\ & \sum_{j=1}^{n} \lambda_j x_{ij}^{t+1} - \beta_{io}^- g_x \geq x_{io}^t \qquad (M_3) \\ & \sum_{j=1}^{n} \lambda_j = 1 \\ & \beta_{ro}^+ \, , \beta_{io}^+ \, , g_y \, , g_x \, , \geq 0 \\ & \lambda_j \geq 0 \quad , \quad j=1,2 \, , \dots, n \quad , \quad i=1,2 \, , \dots, m \quad , \quad r=1,2 \, , \dots, s \end{split}$$

$$\begin{split} & \text{Min D } (x_{0}^{t+1}, y_{0}^{t+1}) = \delta = \frac{1 - (\sum_{i=1}^{m} \frac{\beta_{i0}}{m})}{1 + (\sum_{r=1}^{s} \frac{\beta_{r0}}{s})} \quad (3a) \\ & \text{s.t} \quad \sum_{j=1}^{n} \lambda_{j} y_{rj}^{t+1} + \beta_{ro}^{-} g_{y} \leq y_{ro}^{t+1} \\ & \sum_{j=1}^{n} \lambda_{j} x_{ij}^{t+1} - \beta_{i0}^{-} g_{x} \geq x_{i0}^{t+1} \quad (M_{3}) \\ & \sum_{j=1}^{n} \lambda_{j} = 1 \\ & \beta_{ro}^{+}, \beta_{i0}^{+}, g_{y}, g_{x}, \geq 0 \\ & \lambda_{j} \geq 0 \quad , \quad j=1,2,...,n \quad , \quad i=1,2,...,m \quad , \quad r=1,2,...,s \\ & \text{Min D } (x_{0}^{t}, y_{0}^{t}) = \delta = \frac{1 - (\sum_{i=1}^{m} \frac{\beta_{i0}}{m})}{1 + (\sum_{r=1}^{s} \frac{\beta_{ro}^{-}}{s})} \\ & \text{s.t} \quad \sum_{j=1}^{n} \lambda_{j} y_{rj}^{t} + \beta_{ro}^{+} g_{y} \leq y_{ro}^{t+1} \\ & \sum_{j=1}^{n} \lambda_{j} x_{ij}^{t} - \beta_{i0}^{-} g_{x} \geq x_{i0}^{t+1} \quad (M_{3}) \\ & \sum_{j=1}^{n} \lambda_{j} = 1 \\ & \beta_{ro}^{+}, \beta_{i0}^{+}, g_{y}, g_{x}, \geq 0 \quad (3f) \\ & \lambda_{j} \geq 0 \quad , \quad j=1,2,...,n \quad , \quad i=1,2,...,m \quad , \quad r=1,2,...,s \end{split}$$

This model is non-radial so that at the time evaluating bankruptcy score indicates.  $\beta_{ro}^+ g_y$  and  $\beta_{io}^- g_x$ are the distance between the bankruptcy frontier to the inputs and outputs, respectively of the evaluating  $DMU_o$ . Let, a  $DMU_o$  is performing well then its  $\beta_{ro}^+ g_y$ ,  $\beta_{io}^- g_x$  are larger relative to other DMUs and it shows that the DMUo is away from the bankruptcy frontier. This model is resistance of expanding  $\beta_{io}^- g_x$  and reducing  $\beta_{ro}^- g_y$ .  $\sum_{i=1}^m \frac{\beta_{io}^-}{m}$  is the possible mean expansion of inputs and  $1 - (\sum_{i=1}^m \frac{\beta_{io}^-}{m})$  is the bankruptcy score of inputs.  $\beta_{ro}^+$  in denominator evaluates the possible reduction of outputs 'r'and  $\sum_{r=1}^s \frac{\beta_{ro}^+}{s}$  is the possible mean reduction of outputs  $1 + (\sum_{r=1}^s \frac{\beta_{ro}^+}{s})$  is the output bankruptcy score.  $\beta_{io}^-$  is the relative possible expansion rate in the input 'i',  $\beta_{ro}^+$  is evaluates the possible reduction of outputs 'r'. Therefore,  $\delta$  is the product of input and output bankruptcy scores. Bankruptcy occurs if  $1=\delta^*$  so  $\beta_{io}^- = 0$ ,  $\beta_{ro}^+ = 0$ .  $D_o^t (x_0^{t+1}, y_0^{t+1})$  is score bankruptcy at the time t+1 and relative to t. When all the data are positive, usual choice of directional vectors ( $g_x$ ,  $g_y$ ) are observed input and output. When some data are negative, employing observed input and output would violate the constraint (3f). In order to overcome this limitation, we define directional vectors through anti-ideal DMU as defined in (E1)

 $g_x = \max \{x_{ij}\} - x_{io} \qquad i=1, 2... m \quad (E3)$  $g_y = y_{ro} - \min \{y_{rj}\} \qquad r = 1, 2, ..., s \quad (E4)$  The directional vectors defined in above are non-negative and satisfy the restriction in (3f). They are possible worsening of inputs and outputs because, expansion of inputs and or reductions of outputs are undesirable activities that lead to deterioration in the DMUs performances. This is contrary to the Silva Portela et al. (2004) range of possible improvement. Using Charnes and Cooper's (1962) transformation to fractional programming of ( $M_3$ ), this model can be converted into following linear programming as in Tone. (2001). multiply a scalar variable't' greater than zero with both denominator and numerator of (3a). This does not cause any change in the value of  $\delta$ . Further adjust't' so that the denominator becomes one and, move the denominator term to constraints.

$$\begin{split} & \text{Min } \kappa = t - (\sum_{i=1}^{m} \frac{\beta_{io}^{-}}{m}) \\ \text{s.t} & t + (\sum_{r=1}^{s} \frac{\beta_{ro}^{+}}{s}) = 1 \\ & \sum_{j=1}^{n} \lambda_{j} y_{rj}^{t} + \beta_{ro}^{+} g_{y} \leq t y_{ro}^{t} \\ & \sum_{j=1}^{n} \eta_{j} x_{ij}^{t} - \beta_{io}^{-} g_{x} \geq t x_{io}^{t} \qquad (M_{4}) \\ & \sum_{j=1}^{n} \lambda_{j} = t \\ & \beta_{ro}^{+}, \beta_{io}^{+}, g_{y}, g_{x}, \geq 0 \\ & \lambda_{j} \geq 0 \quad , \quad j = 1, 2, ..., n \quad , \quad i = 1, 2, ..., m \quad , \quad r = 1, 2, ..., s \end{split}$$

Let the optimal solution for  $(M_4)$  be  $(\beta_{ro}^{+*} \beta_{io}^{-*}, \lambda^*, t^*, \kappa^*)$ , we have the optimal solution of  $(M_3)$  defined as Based on the optimal solution  $(\delta^* = \kappa^*, A^* = \lambda^*/t^*, \beta_{io}^{-*} = \beta_{io}^{-*}/t^*, \beta_{ro}^{+*} = \beta_{ro}^{+*}/t^*)$ . The value of bankruptcy score lies between zero and one. Similarly, we can evaluate the case should be taken at other time

### 2.4. Interpretation of bankruptcy score

The model (M<sub>3</sub>) has least feasible solution  $\beta_{io}^- = 0$ ,  $\beta_{io}^+ = 0$ ,  $\lambda_0 = 0$ ,  $\lambda_0 = 1$ ,  $(j \neq 0)$  and the optimal solution denoted with  $\delta^*$  is not greater than one. The constraints of (M<sub>3</sub>) should be the activity (g<sub>y</sub>  $\beta_{ro}^+$  -  $y_{ro}$ ,  $\beta_{io}^-g_x + x_{io}$ ) belong to productivity possibility set while the objective seeks to maximize  $\beta_{ro}^+$   $\beta_{io}^-$  that expands the input vector  $x_{io}$  non-radial to  $\beta_{io}^-g_x^+ + x_{io}$ . In addition, reduces the output non-radial to  $g_y\beta_{ro}^+$ - $y_{ro}$  Therefore, ( $\beta_{ro}^+$ - $y_{ro}$ ,  $\beta_{io}^-g_x x_{io}$ ) outperforms ( $\sum_{j=1}^n \lambda_j x_{ij}$ ,  $\sum_{j=1}^n \lambda_j y_{rj}$ ). When optimal solution is less than one. The output constraints hold the equality i.e.

$$\begin{split} y_{r o} &= \sum_{j=1}^{n} \lambda_{j}^{*} y_{r j} + \beta_{r o}^{+*} g_{y} & \sum_{j=1}^{n} \lambda_{j}^{*} y_{r j} = y_{r o}^{*} \\ \frac{y_{r o} - y_{r o}^{*}}{y_{r o} - \min\{y_{r j}\}} &= y_{r o} - \beta_{r o}^{+*} g_{y} = y_{r o}^{*} \end{split}$$

 $y_{ro}^*$  is the threshold level for optimal reduction of outputs. This is that  $\beta_{ro}^{+*}$  is equal to ratio of optimal reduction of output. Similarly for the input constraints

$$\mathbf{x}_{i o} = \sum_{j=1}^{n} \lambda_{j}^{*} \mathbf{x}_{ij} - \beta_{io}^{-*} \mathbf{g}_{\mathbf{x}} \qquad \qquad \sum_{j=1}^{n} \lambda_{j}^{*} \mathbf{x}_{ij} = \mathbf{x}_{io}^{*}$$

 $\frac{x_{io}^* - x_{io}}{\max\{x_{ij}\} - x_{io}} = x_{io}^* + \beta_{io}^{-*} g_x = x_{io}^*$ 

# 2.5. An illustrative example

Five companies agricultural bankrupt using by Malmquist productivity index productivity score calculated. Data in this problem selected from a sample of Janova et al. [17].

_						
Year 2007		DMU1	DMU2	DMU3	DMU4	DMU5
	In1	1.113	1.117	1.112	1.113	1.115
	In2	0.510	0.509	0.514	0.509	0.513
	In3	0.513	0.513	0.514	0.511	0.514
	01	0.481	0.482	0.483	0.479	0.483
	O2	0.076	0.077	0.078	0.077	0.078
	O3	-0.073	-0.072	-0.071	-0.071	-0.075
	04	-0.104	-0.103	-0.102	-0.102	-0.106
	05	-0.153	-0.152	-0.151	-0.151	-0.155
	06	-0.098	-0.097	-0.096	-0.096	-0.100
	07	-0.072	-0.071	-0.070	-0.074	-0.070

Tabel 1

Tabel 2

Year 2008		DMU1	DMU2	DMU3	DMU4	DMU5
	In1	1.112	1.116	1.111	1.112	1.114
	In2	0.509	0.508	0.513	0.508	0.512
	In3	0.512	0.512	0.513	0.510	0.513
	01	0.481	0.482	0.483	0.479	0.483
	O2	0.076	0.077	0.078	0.077	0.078
	O3	-0.073	-0.072	-0.071	-0.071	-0.075
	O4	-0.104	-0.103	-0.102	-0.102	-0.106
	05	-0.153	-0.152	-0.151	-0.151	-0.155
	06	-0.098	-0.097	-0.096	-0.096	-0.100
	07	-0.072	-0.071	-0.070	-0.074	-0.070

Tabel 3

Year 2009		DMU1	DMU2	DMU3	DMU4	DMU5
	In1	1.114	1.115	1.113	1.114	1.116
	In2	0.511	0.510	0.514	0.510	0.513
	In3	0.513	0.514	0.515	0.511	0.515
	01	0.481	0.482	0.483	0.479	0.483
	O2	0.076	0.077	0.078	0.077	0.078
	O3	-0.073	-0.072	-0.071	-0.071	-0.075
	O4	-0.104	-0.103	-0.102	-0.102	-0.106
	05	-0.153	-0.152	-0.151	-0.151	-0.155
	06	-0.098	-0.097	-0.096	-0.096	-0.100
	07	-0.072	-0.071	-0.070	-0.074	-0.070

440

Year 2010		DMU1	DMU2	DMU3	DMU4	DMU5
	In1	1.115	1.116	1.114	1.115	1.113
	In2	0.512	0.511	0.515	0.511	0.517
	In3	0.514	0.515	0.516	0.512	0.517
	01	0.482	0.483	0.484	0.480	0.486
	O2	0.077	0.078	0.079	0.078	0.081
	O3	-0.072	-0.073	-0.070	-0.070	-0.068
	O4	-0.103	-0.102	-0.101	-0.101	-0.099
	05	-0.152	-0.151	-0.150	-0.150	-0.150
	06	-0.097	-0.096	-0.095	-0.095	-0.093
	07	-0.071	-0.070	-0.096	-0.073	-0.067

Tabel 4



Figure 1



Figure 2





#### 2.6. Results and Analysis

We apply the model  $(M_3)$  for the selected firms. The model shows that when productivity score in each period is greater than one, thus the firm to be bankrupt. The first calculating efficiency score between two various time. This efficiency score is always between zero and one. In contrast, changes technology shows moving efficiency frontier. If technical efficiency and technology efficiency more than one so malmquist index has decrease. In year 2009-2008 both the technical efficiency and technology efficiency in company A is more than one, so the company is to be bankrupt. The company A has productivity score greater than one so the company does not have improvement. In year 2009-2008, the company E has the best productivity score. When the technical efficiency and the efficiency technology are less than one, a productivity index will be progressed. Company B year 2008-2007 the technical efficiencies is 0/084, therefore the company B have many distance of to be bankrupt. In 2010-2009 the company E both efficiency technical and efficiency technology is one and shows that the productivity score is one.

#### 3. Input and output variables

Ten financial ratios are selected out of which three are input variables and seven are output .These financial ratios are selected based on previous literature on bankruptcy assessment like Serrano-Cinca [22], Canbas et al. [6], Alfaro et al. [3] and premachandra et al. [20] are select. Variables the ratios used are Total Debt to Total Assets (TDTA), Current Liabilities to Total Assets (CLTA) and Total Liabilities to Total Assets (TLTA) as the three input variables. Larger values for TDTA, CLTA and TLTA would result in firms coming on the bankruptcy frontier. Return to Total Assets (RTTA), Profit before Interest and Taxes to Total Assets (PBIT), Cash Flow to Total Assets (CFTA), Current Assets to Total Assets (CATA), Working Capital to Total Assets (WCTA), Market Value of Equity to Book Value of Common Equity (MVCE), and earnings before Interest and Taxes to Total Assets (EBITTA) are the seven output

variables. A high value of output variables would tend to result in a value nearer to zero for the objective function of the bankruptcy model. Hence, firms with high values for these output variables may not appear on the bankruptcy frontier. The detailed descriptions of input and output variables to assess the bankruptcy are given below.

Total Debt to Total Assets (TDTA): This is handspike scale and most important is application in risk index and if this scales being a large, thus company would be bankrupt.

Current Liabilities to Total Assets (CLTA): if a firm have high CLTA ratio therefore a firm difficulty for to meet short-term debt obligations and the company being in threshold bankrupt.

Total Liabilities to Total Assets (TLTA): A firm with had a high TLTA ratio would being to difficulty to meet short term and long-term debt obligations. In this time the company would have difficulty in running its day-to-day operations.

Return to Total Assets (RTTA): This ratio is the indicator of the profitability of the firm. This means how productively the total assets of the firm are profit in production it returns.

Profit before Interest and Taxes to Total Assets (PBITTA): This ratio, like the (RTTA), is the indicator of the profitability of the firm. This means how productively the total assets of the firm are important for generating the earnings before interest and taxes. Than others with decrease in these ratios. Cash Flow to Total Assets

(CFTA): This ratio, like the RTTA and PBITTA, is the indicator of the profitability of the firm. This means how productively the total assets of the firm are important in generating the earnings in the form of cash flows

Current Assets to Total Assets (CATA): This ratio indicates the proportion of the current assets to total assets. This means how productively the total assets of the firm are important production the liquid assets. If in the company of current assets is high also shows that the firm has been able to use the total assets for production the current assets in the form of inventory, debtors, cash and bank.

Working Capital to Total Assets (WCTA): This ratio is the indicator of the ability of the firm for production the working capital. This ratio considers the difference between the current assets and current liabilities in the numerator this means how productively the total assets of the firm are employed in generating the net working capital.

Market Value of Equity to Book Value of Common Equity (MVBV): We use a market-based growth for measures an output variable. The target is to maximize the shareholders' value if in the company this value being a low thus the company would be bankrupt.

Earnings before Interest and Taxes to Total Assets (EBITTA): This ratio is the indicator of the profitability of the firm. This means how productively the total assets of the firm are employed in generating the earnings before interest and taxes.

#### 4. Conclusions

The objective of this study is to develop a precise and a comprehensive with malmquist productivity index for bankruptcy prediction that facilitates build an early warning system. This paper uses a directional distance function formulation of DEA using by malmquist index to assess the bankruptcy. The directional distance function measures the efficiencies of DMUs, which measures the best performances of DMUs and determine an efficiency frontier, we develop a model to measure worst relative efficiency within the interval of 'zero to one' and locate worst performance of DMUs and determine an inefficiency frontier and we are doing this action for various period times thus we calculated malmquist productivity index. The productivity scores of upper than one, the company to be bankrupt and productivity are decrease and if productivity being less than one thus productivity increase. If productivity is equal to one thus productivity has no change. Our model incorporates possible decrease of outputs and increase of inputs in the direction of anti-ideal DMU, one, which takes maximum inputs, and minimum outputs, which leads to bankrupt of the firms. The worst performing firms are not necessarily declared as bankrupt. The scores indicate that these firms are prone financial distress and may experience problems of meeting the obligations to creditors and others. This study could be used for measure total productivity between various times in the firms and other institutions.

#### References

[1] Abdul Raheman, Abdul Qayyum and and Talat Afza. "Efficiency Dynamics of Sugar Industry of Pakistan.25th Agm Papers, Comsats Institute of Information Technology, Islamabad and Pide, Islamabad." (2010).

[2] Abdul Raheman, Talat Afza and Abdul Qayyum Mahmood Ahmed Bodla. "Estimating Total Factor Productivity and Its Components: Evidence from Major Manufacturing Industries of Pakistan. The Pakistan Development Review, Vol. 47, Issue 4, Pages 677-694." (2008).

[3] Alfaro, E., N. Garcia, M Gamez and D Elizondo. "Bankruptcy Forecasting: An Empirical Comparison of Adaboost and Neural Networks. Decision Support Systems." 45, 110–122, (2008).

[4] alirezaie, m.r. and m.afsharyan. "Calculate Groath Total Productivity and Survey Efficiency Change and Tecnalogy Using by Modified Models Dea Application in Placees Petroliyom.89-71:(3)6." (2006): 89-71.

[5] Basti, Y. and A Akin. "The Comparative Productivity of the Foreign-Owned Companies in Turkey: A Malmquist Productivity Index Approach. International Research Journal of Finance and Economics, 22, 1450-2887." (2008).

[6] Canbas, S., A. Cabuk and S. B Kilic. "Prediction of Commercial Bank Failure Via Multivariate Statistical Analysis of Financial Structure: The Turkish Case. European Journal of Operational Research,." 166, 528–546, (2005).

[7] Caves D.W. and W. E. Diewert L. R. Christensen. "The Economic Theory of Index Numbers and Measurement of Input, Output and Productivity. Econometrica, No 50, P. 1393-1414.", (1982).

[8] Chambers, Chung R. G., Y., and R Fare. "Profit Directional Distance Functionsand Nerlovian Efficiency. Journal of Optimization and Theory and Applications, 12,233–247.", (1998).

[9] Charnes, A., W.W. Cooper and E. Rhodes. "Measuring Efficiency of Decision Making Units. European Journal of Operational Research, No 2, P. 429-444.", (1978).

[10] Cooper, Seiford W. W. and & Tone L. M., K. "Data Envelopment Analysis – a Comprehensive Text with Models, Applications, References and Dea – Solver Software. Kluwer Academic Publishers.", (2007).

[11] Cooper, William W, Honghui Deng, Bisheng Gu, Shanling Li and RM Thrall. "Using Dea to Improve the Management of Congestion in Chinese Industries (1981–1997)." Socio-Economic Planning Sciences 35, no. 4 (2001): 227-242.

[12] Diaz, M. A. and R Sanchez. "Firm Size and Productivity in Spain: A Stochastic Frontier Analysis. Small Business Economics. 30: 315-323." (2008).

[13] Färe, R., S., B. Grosskopf, Lindgren and P. Proos. "Productivity Development in Swedish Hospitals: A Malmquist Output Index Approach, Department of Economics Discussion Paper 89-3

[14] Southern Illinois University, Carbondale.Reprinted In: Charnes, A., Cooper, W. W., Lewin, A. Y.

And Seiford, L. S.Eds.1995. Data Envelopment Analysis: Theory, Methodology and Applications.Amsterdam:.Kluwer Academic Publisher.", (1989).

[15] Färe, R., S. Grosskopf, M. Norris and Z. Zhang. "Productivity Growth, Technical Progress, and Efficiency Change in Industrialized Countries. American Economic Review, No 84, P. 66-83.", (1994b).

[16] Farrel, M.J. "The Measurement of Productive Efficiency. Journal of the Royal Statistical Society, Series a, No 120, P. 253-281.", (1957).

[17] Janová, Jitka, J VAVŘINA and David Hampel. "Dea as a Tool for Bankruptcy Assessment: The Agribusiness Case Study." In Proceedings of the 30th International Conference Mathematical Methods in Economics 2012, 379-383, 2012.

[18] Malmquist, S. "Index Numbers and Indifference Surfaces, Trabajos De Estadistica 4,209-242."(1953).

[19] Newton, G.W. "Bankruptcy Insolvency Accounting Practice and Procedure, 1: Wiley, Pp:21-41." (1998).

[20] Premachandra, IM, Gurmeet Singh Bhabra and Toshiyuki Sueyoshi. "Dea as a Tool for Bankruptcy Assessment: A Comparative Study with Logistic Regression Technique." European Journal of Operational Research 193, no. 2 (2009): 412-424.

[21] Rezitis, A. N. "Productivity Growth in the Greek Banking Industry: A Non Parametric Approach.Journal of Applied Economics, 9, 119-138.", (2006).

[22] Serrano-Cinca, C. "Self Organizing Neural Networks for Financial Diagnosis.Decision Support Systems." 17, 227–238, (1996).

[23] Shetty, U. and T. P. M Pakkala. "Generalized Efficiency Measurements of Directional Distance Formulation of Data Envelopment Analysis. In Proceedings in the 57th Session of Isi 2009 Online.", (2009).

[24] Shetty, Udaya, TPM Pakkala and T Mallikarjunappa. "A Modified Directional Distance Formulation of Dea to Assess Bankruptcy: An Application to It/Ites Companies in India." Expert Systems with Applications: An International Journal 39, no. 2 (2012): 1988-1997.

[25] Sten Thore, George Kozmetsky and Fred Philips. "Dea of Financial Statement Data: The U.S. Computer Industry. The Journal of Productivity Analysis, 5, 229-248." (1994).

[26] Tone, Kaoru. "A Slacks Based Measure of Efficiency in Data Envelopment Analysis.European Journal of Operational Research, 130, 498–509.", (2001).

[27] Tsaur, R.C. "Hybrid Forecasting Model for Product Life Cycle, J. Chin. Inst. Indust. Eng. 19 (5)."(2009).

[28] Udaya Shetty , T.P.M. Pakkala and T.Mallikarajunappa. "A Modified Directional Distance Formulation of Dea to Assess Bankruptcy 574-199." (2012).

[29] Wang, Y. M. and J. B Yang. "Measuring the Performances of Decision-Makingunits Using Interval Efficiencies. Journal of Computational and Applied Mathematics, 198, 253–267.", (2007).

[30] Wang;, Chia-Nan, Yao-Lang Chang; and Qi-Heng Huang. "Assessment on Intellectual Capital Management for Taiwanese Pharmaceutical Industry: Using Gra and Mpi. African Journal of Business Management, Vol. 5(7), Pp. 2950-2958." (2011).

[31] White, M. J. "The Corporate Bankruptcy Decision. Journal of Economics Perspectives, 3(2), 129–151.", (1989).

[32] Wimboh and santoso. "Coordinate Failure?Across-Country Bank Failureprediction Model." (2003).