

Iranian Journal of Organic Chemistry

Iran JOC Vol. 12, No. 3, 2020

Contents

Graphical Abstracts


Symmetry breaking in the planar configurations of hydrazine, diphosphane and diarasane

pp 2885-2898

Abdolkhalegh Mohammadizadeh^a and Reza Fazaeli^{*b}

^aDepartment of Chemistry, Arak Branch, Islamic Azad University, Arak, Iran

^bDepartment of Chemistry, South Tehran Branch, Islamic Azad University, Tehran, Iran.




Molecular dynamics simulation of carbon dioxide in ethanol and water



pp 2899-2904

Nahid Sohrevardi^{a*} and Masoumeh Hosseinzadeh^b

^aDepartment of Chemistry, Ayatollah Amoli Branch, Islamic Azad University, Amol, Iran.

^bDepartment of Chemistry, Qaemshahr Branch, Islamic Azad University, Qaemshahr, Iran.



Biologically active compounds extracted from *lindera oxyphylla*Masoumeh Hosseinzadeh^{a*} and Nahid Sohrevardi^b^aDepartment of Chemistry, Qaemshahr Branch, Islamic Azad University, Qaemshahr, Iran^bDepartment of Chemistry, Ayatollah Amoli Branch, Islamic Azad University, Amol, Iran**QTAIM, ELE, LOL and NBO investigations of the $Cp_2Sn=NHC$ complex**Simin Samavat^a, Reza Ghiasi^{b,*}, Bita Mohtat^a, Farahnaz Kargar Behbahani^a^aDepartment of Chemistry, Karaj Branch, Islamic Azad University, Karaj, Iran^bDepartment of Chemistry, East Tehran Branch, Islamic Azad University, Tehran, Iran

Efficient synthesis of imidazo oxazine using electron deficient acetylenic compounds


pp 2921-2924

Sayyed Jalal Shams-Najafi^{a*}, Faramarz Rostami-Charati^b and Samaneh sadat Sharifi^c

^aDepartment of Chemistry, Faculty of Sciences, Ferdowsi University of Mashhad, Mashhad 91779-1436, I.R. Iran

^bResearch Center for Conservation of Culture Relicst (RCCCR), Research institute of Cultural Heritage & Tourism, Tehran, Iran.

^cDepartment of Chemistry, Faculty of Sciences, University of Sistan and Baluchistan, sistan and Balouchestan, Iran.




Synthesis of 1,2,4-triazothiazine using the reaction of hydrazines using KF/CP NPs condition

pp 2925-2928

Narges Ghasemi^{*a} and Parvaneh Firoozi-Khanghah^b

^aNational Petrochemical Company (NPC), petrochemical Research and Technology Company, Arak Center, Iran

^bDepartment of Chemistry, Tarbiat Modares University, Tehran. Iran




Synthesis of isoquinoline derivatives using activated acetylenic compounds

pp 2929-2933

Narges Ghasemi^{*a}, Parvaneh Firoozi-Khanghah^b and Narjes Haerizadeh^{*b}

^aNational Petrochemical Company (NPC), petrochemical Research and Technology Company, Arak Center, Iran

^bDepartment of Chemistry, Tarbiat Modares University, Tehran, Iran



Green synthesis of isoquinoline derivatives using multicomponent Reaction of phthalaldehyde

pp 2935-2939

Samanehsadat Sharifi^{*a} and Maryam Kohi^b

^aDepartment of Chemistry, Faculty of Sciences, University of Sistan and Baluchistan, Sistan and Baluchistan, Iran

^bDepartment of Chemistry, Tarbiat Modares University, Tehran, Iran

