

Graphical Abstracts

Synthesis and study of antioxidant and antimicrobial activity of imidazole derivatives pp 3839-3846


Maryam Ghazvinia^{*a}, Fatemeh Sheikholeslami-Farahani^b, Masoomah Salimifard^c and Ali Akbar Eslami^d

^aDepartment of Chemistry, Payame Noor university, P. O Box:3971189451, Tehran, Iran.

^bDepartment of Chemistry, Firoozkooh Branch, Islamic Azad University, Firoozkooh, Iran

^cDanayan Fara Kimiya (DFK)company, Gheysar Aminpour Blv., Shahin Shahr, Isfahan, Iran

^dDepartment of Chemistry, Qaemshahr Branch, Islamic Azad University, Qaemshahr, Iran.




Fe₃O₄ MNPs promoted green synthesis of 1,3-oxazole derivatives: Study of antimicrobial and antioxidant activity

pp 3847-3854

Narges Ghasemi^{*a} and Narjes Haerizadeh^b

^aNational Petrochemical Company (NPC), petrochemical Research and Technology Company, Arak Center, Iran

^bDepartment of Chemistry, Tarbiat Modares University, Tehran, Iran



Synthesis of benzofuran derivatives using one-pot multicomponent reaction of isocyanides via ZnO-NRs


pp 3855-3860

Maryam Ghazvini^a, Seyyed Jalal Shams Najafi^{*b} and Majid Ghazanfarpour^c

^aChemistry Department, Payam Noor University, Tehran, Iran

^bDepartment of Chemistry, Faculty of Sciences, Ferdowsi University of Mashhad, Mashhad 91779-1436, I.R. Iran

^cDepartment of Chemistry, Tarbiat Modares University, Tehran, Iran




Green synthesis of pyridoisoquinoline derivatives under Ultrasound conditions

pp 3861-3866

Mahboubeh Ghasemian Dazmiri^{a*} and Loghman Moradi^b

^aDepartment of Chemistry, Faculty of Chemistry, University of Mazandaran, Babolsar, Iran.

^bDepartment of Chemistry, Tarbiat Modares University, Tehran, Iran



Efficient synthesis of functionalized furans using multicomponent reactions of ethyl bromopyruvate


pp 3867-3871

Navisa Tabarsaei^{*a}, Maryam Ghazvini^b and Atefeh Navabi^c

^aDepartment of Chemistry, Faculty of Sciences, Golestan University, Gorgan, Iran

^bChemistry Department, Payam Noor University, Tehran, Iran

^cDepartment of Chemistry, Arak University, Tehran, Iran




Synthesis of isoquinolines, quinoline and indolizine using multicomponent

pp 3873-3877

Ako Mokhtarporiani^a, Anvar Mirzaee^{b,*} and Samira Nasiri^a

^aDepartment of Chemistry, Tarbiat Modares University, Tehran, Iran

^bChemistry Department, Kurdistan University, Kurdistan, Iran




Poly (N, N-dimethylaniline)-SDS/Ag composite as an electrocatalyst for oxidation of formaldehyde

pp 3879-3883

Samaneh Sarvinebaghi, Banafsheh Norouzi*

Department of chemistry, Qaemshahr Branch, Islamic Azad University, Qaemshahr, Iran



A novel synthesis of functionalized spiro oxaphospholes

pp 3885-3889

Mahboubeh Ghasemian Dazmiri^{a*}, Samaneh Vaseghi^b and Maryam Kohi^c

^aDepartment of Chemistry, Faculty of Chemistry, University of Mazandaran, Babolsar, Iran.

^bDepartment of Chemistry, Science and Research Branch, Islamic Azad University, Tehran, Iran

^cDepartment of Chemistry, Tarbiat Modares University, Tehran, Iran

