



An integrated vendor–buyer model with stochastic demand, lot-size dependent lead-time and learning in production

Anindita Mukherjee¹ · Oshmita Dey² · B. C. Giri¹

Received: 26 September 2018 / Accepted: 26 July 2019 / Published online: 3 August 2019
© The Author(s) 2019

Abstract

In this article, an imperfect vendor–buyer inventory system with stochastic demand, process quality control and learning in production is investigated. It is assumed that there are learning in production and investment for process quality improvement at the vendor’s end, and lot-size dependent lead-time at the buyer’s end. The lead-time for the first batch and those for the rest of the batches are different. Under n -shipment policy, the annual expected total cost of the system is derived. An algorithm is suggested to derive the optimal values of the number of shipments, the lot-size, the percentage of defective produced per batch and the safety stock factor so as to minimize the annual expected total cost of the system. The solution procedure is illustrated through numerical examples. The benefit of investment for reducing the defect rate is shown numerically. It is also observed that learning in production has significant effect on the annual expected total cost of the integrated system.

Keywords Inventory · Vendor–buyer model · Lead time · Investment · Process quality · Learning

Introduction

The integrated vendor–buyer problem is inspired by the expanding focus on supply chain management, which has been proved to be an adequate means by which both the vendor and the buyer can be benefited simultaneously. In this context, a significant amount of literature can be found in Banerjee (1986), Goyal (1976, 1988), Ha and Kim (1997), Hill (1997, 1999), Pan and Yang (2002), Ouyang et al. (2006), Giri and Bardhan (2015), etc. and the references therein. In the vendor–buyer literature, the market demand is generally assumed to be deterministic and the shortages are not allowed in the buyer’s inventory. For instance, Otake et al. (1999) investigated an inventory model with investment in setup operations under return on investment maximization. Wee et al. (2009) studied multi-objective joint replenishment inventory models for deteriorating items under fuzzy environment. Ghasemy et al. (2014a) developed an enhanced joint pricing and lot-sizing problem with logit

demand function. Ghasemy et al. (2014b) also studied pricing and lot-sizing decisions in the retail industry under fuzzy chance constraint approach. Using game theoretic approach, recently Noori-daryan et al. (2019) analyzed pricing, promised delivery lead time, supplier-selection, and ordering decisions of a multi-national supply chain under price and delivery lead time dependent demand.

Ben-Daya and Hariga (2004) were the first to extend an integrated vendor–buyer model with stochastic customer demand. Since then a lot of researchers have studied the integrated model with stochastic demand under various assumptions (Hsiao 2008b; Glock 2009, 2012). However, in most of these works, the production process is presumed to be perfect. Relaxing this perfect production assumption, Huang (2004) developed an optimal integrated inventory policy for defective items in a just-in-time manufacturing environment. Ouyang et al. (2006) also studied an integrated vendor–buyer inventory model for defective items. Hsiao (2008b) proved that an inventory system which is controlled by the reorder and shipping points is preferable compared to the system where only the reorder point acts as a control parameter. Glock (2009) developed a model with variable lead-time by extending Ben-Daya and Hariga (2004)’s model with an increase in the batch shipments by a fixed factor. Glock (2012) further extended the previous (Q, r) model by studying the alternative methods for reducing the

✉ B. C. Giri
bcgiri.jumath@gmail.com

¹ Department of Mathematics, Jadavpur University, Kolkata, India

² Department of Mathematics, Techno India University, Kolkata, India

lead-time. Taleizadeh and Noori-daryan (2016) developed pricing, inventory and production policies in a three-layer supply chain with rework process under a game theoretic approach. Taleizadeh et al. (2015) also studied pricing and ordering decisions in a three-layer supply chain with imperfect quality items under buyback of defective items. More studies on imperfect production process were contributed by Ben-Daya and Hariga (2000), Salameh and Jaber (2000), Ben-Daya and Hariga (2004), Lin (2012), Shu and Zhou (2013), to name a few. However, in these works, the quality of the production process was not taken to be a control parameter. But it is well established that making an investment in the production process, in terms of buying new equipment, regular machine maintenance and repair, worker training, etc. can help improving the production process quality (Porteus 1986). In an integrated scenario, since the production process is vendor-controlled, and the vendor has to pay warranty cost for defective items, it is beneficial for him/her to invest in order to reduce the number of defective items produced. For instance, Otake and Min (2001) and Li et al. (2008) studied inventory and investment in quality improvement under return on investment maximization.

In an integrated system with imperfect production process, it is very likely that the buyer performs some sort of inspection activity before selling the products to the customers. Neglecting this inspection/screening or assuming it to be non-negligible is not very practical. Keeping these issues in mind, Dey and Giri (2014) developed an integrated single-vendor single-buyer production inventory model with imperfect production process, finite screening time and vendor investment to improve process quality. This model was extended by Mukherjee et al. (2019) to include controllable backorder rate by means of backorder price discount. However, in both the above mentioned papers, the lead-time is assumed to be a constant. But, in reality, the lead-time is, more often than not, variable. A significant amount of works on variable lead time is available in the literature. Hosseini et al. (2013) adopted a multiple objective approach for joint ordering and pricing policy for an inventory system with stochastic lead-time. Ben-Daya and Hariga (2004) illustrated the benefits of a lot-size dependent lead time on the total expected costs. Glock (2012) showed how reducing the lead-time can affect the operational costs. With this view point, Mukherjee and Dey (2018) extended the model of Dey and Giri (2014) to include lot-size dependent lead-time. However, most of the papers mentioned above did not consider learning in production which is one of the most relevant issues of production-inventory systems in recent times.

Learning is an important human factor that has been proved to enhance the overall performance of a supply chain. In systems where workers are involved in repetitive type of production process, learning plays a very important role. Wright (1936) was among the early researchers

who described the learning process with the help of a power curve. According to Wright's learning curve, per unit production cost decreases by some fixed percentage when the production quantity doubles. Learning in production affects the optimal lot-sizes and dispatch time (Jaber and Boney 1999). Elmaghraby (1990) and Jaber and Boney (1996) addressed the forgetting phenomenon during non-production period. Glock and Jaber (2013) developed a mathematical model for imperfect production process where production and reproduction processes both are subject to learning and forgetting. Giri and Glock (2017) considered a closed-loop supply chain where production and inspection processes are subject to learning and forgetting. Recently, Dey and Giri (2018) presented a new approach to deal with learning in inspection for a single-vendor single-buyer integrated imperfect inventory model. However, the combined effects of vendor's investment in terms of quality control, lot-size dependent lead-time and learning in production on the optimal decisions of an integrated vendor-buyer inventory model remains unexplored.

Keeping this point in mind, in this paper, an attempt is made to extend Dey and Giri (2014) and Mukherjee and Dey (2018)'s models further by taking into consideration lot-size dependent lead-time at the buyer's end and learning in production at the vendor's end. The safety stock factor is further assumed to be different for the first batch and the rest of the batches (Hsiao 2008a). The remainder of the paper is organized as follows. Notations and assumptions for developing the proposed model are given in the next section. Section 3 is devoted to model development from buyer's and vendor's perspectives as well as using integrated approach. The solution procedure of the model is outlined in Sect. 4. In Sect. 5, the model is illustrated through numerical examples. The paper is concluded with some remarks in Sect. 6.

Notations and assumptions

Notations

The following notations are used to develop the proposed model.

Q	Shipment size (decision variable)
n	Number of shipments (decision variable)
y	Percentage of defective items produced (decision variable)
k_1	Safety stock factor for the first batch (decision variable)
r	Reorder point
y_0	Original percentage of defective items produced
D	Expected demand rate for non-defective items (units/year)
P	Production rate, $p = \frac{1}{P}$

A	Buyer's ordering cost per order
F	Transportation cost per delivery
K	Vendor's setup cost
L	Lead-time
h_v	Vendor's holding cost per item per year
h_{b1}	Buyer's holding cost for defective items per item per year
h_{b2}	Vendor's holding cost for non-defective items per item per year
s	Unit screening cost
x	Screening rate
w	Unit warranty cost for defective items
π	Buyer's shortage cost per item per year
η	Fractional opportunity cost
δ	Percentage decrease in defective items per dollar increase in investment
c	Vendor's production cost per unit per year
l	Learning exponent in the production process
k_2	Safety stock factor for the j th batch; $j = 2, 3, \dots, n$

Assumptions

The proposed model is developed with the following assumptions:

- The supply chain consists of a single vendor and a single buyer, and deals with a single product.
- Demand is stochastic and normally distributed with mean D and standard deviation σ .
- The buyer follows the classical (Q, r) continuous review inventory policy.
- An order of nQ (non-defective) items is placed by the buyer to the vendor. These items are then produced and transferred to the buyer in n equal-sized shipments by the vendor, n being a positive integer.
- Lead-time L is not a constant; it depends on the lot-size Q as given below:
 $L = pQ + b$, where b denotes a fixed delay due to transportation, production time of other products scheduled during the lead-time on the same facility, etc. The mean and variance for lead time demand are $D\sqrt{pQ + b}$ and $\sigma^2\sqrt{pQ + b}$, respectively.
- The re-order point $r =$ expected demand during lead-time + safety stock (SS) i.e., $r = D(pQ + b) + k\sigma\sqrt{pQ + b}$, where k is the safety stock factor.
- Shortages at the buyer's inventory are allowed and completely backlogged.
- There is no overshooting of orders, i.e., there is no more than a single order outstanding in any cycle.
- y_0 ($0 \leq y_0 \leq 1$) is the percentage of defective items produced in each batch of size Q .

- The vendor's production rate of non-defective items is greater than the mean demand rate i.e., $P(1 - y_0) > D$.
- Upon the arrival of each batch, the buyer inspects all the items. It is assumed that the screening process is non-destructive and error-free. The screening rate x is fixed and greater than the mean demand rate D .
- The vendor incurs a warranty cost for each defective item produced.
- The vendor invests money to improve the production process quality in terms of buying new equipment, improving machine maintenance and repair, worker training, etc. We consider the following logarithmic investment function $I(y)$ (Porteus 1986):

$$I(y) = \frac{1}{\delta} \ln \left(\frac{y_0}{y} \right)$$

where δ is the percentage decrease in y per dollar (or any other suitable currency) increase in investment and y_0 is the original percentage of defective items produced prior to investment.

Model development

Buyer's perspective


We assume that the vendor accepts an order of size nQ for non-defective items from the buyer. The vendor produces these nQ items all in one go so as to minimize the production costs, and then n batches of size Q are delivered each at regular intervals of $Q(1 - y_0)/D$ units of time. Thus each ordering cycle is of length $Q(1 - y_0)/D$ and the complete production cycle is of length $nQ(1 - y_0)/D$.

When the inventory of non-defective items reaches the re-order level r , the buyer requests the vendor for the next shipment. The vendor's delivery reaches the buyer after a lead time L (see Fig. 1).

We assume the lead-time L as $L(Q) = pQ + b$, where b denotes a fixed delay due to transportation, production time of other products scheduled during the lead-time on the same facility, etc. The fixed delay factor b can be decomposed into the waiting and set-up time T_s and the transportation time T_b (Hsiao 2008a). The production rate for non-defective items is assumed to be greater than the mean demand rate, and thus the vendor, having sufficient stock, can deliver the second batch at time $t_2 = t_1 + \frac{Q}{D} - T_b$. Thus, the lead-time for the second batch is T_b . Similarly, the lead-time for the j th batch is T_b , for all $j = 2, 3, \dots, n$.

We assume that the demand during the lead time is normally distributed with mean $DL(Q)$ and standard deviation $\sigma\sqrt{L(Q)}$. In this case, the safety stock, S , is given by

Fig. 1 Inventory of the buyer



$$S = k_1 \sigma \sqrt{pQ + b} \tag{1}$$

k_1 being the safety factor for the first batch.

The expected shortage during this first batch is $b(s, L(Q)) = \sigma \sqrt{pQ + b} \psi(k_1)$, where $\psi(k_1) = \int_k^\infty (z - k_1) \phi(z) dz$, $\phi(z)$ being the standard normal density function.

For the j th batch, $j = 2, 3, \dots, n$, the demand during lead time is normally distributed with mean DT_b and standard deviation $\sigma \sqrt{T_b}$ and the safety stock, S , is given by

$$S = k_2 \sigma \sqrt{T_b} \tag{2}$$

k_2 being the safety factor for the j th batch, $j = 2, 3, \dots, n$.

The expected shortage during all other batches is given by $b(sr, T_b) = \sigma \sqrt{T_b} \psi(k_2)$, where $\psi(k_2) = \int_k^\infty (z - k_2) \phi(z) dz$

From Eqs. (1) and (2), k_2 can be expressed in terms of k_1 as given below (Hsiao 2008a):

$$k_2 = k_1 \sqrt{\frac{pQ + b}{T_b}} \tag{3}$$

It is assumed that the safety factors k_1 and k_2 are related to the re-order point r . Since k_2 is expressed in terms of k_1 , we consider k_1 as a decision variable instead of r .

The defective items which are discovered gradually in each batch are kept in hold separately and then returned to the vendor on the arrival of the next batch. The buyer, thus, has holding costs for defective items and non-defective items. The buyer's average inventory level for non-defective items (including those defective items which have not yet been detected before the end of the screening time Q/x) is given by

$$\frac{nQ(1-y)}{D} \left[k\sigma \sqrt{pQ + b} + \frac{Q(1-y)}{2} + \frac{DQy}{2x(1-y)} \right] \tag{4}$$

The average inventory level for defective items is

$$nQ^2y \left[\frac{1-y}{D} - \frac{1}{2x} \right] \tag{5}$$

Therefore, the buyer's annual expected total cost including the ordering cost, shipment cost, holding cost, shortage cost and screening cost is given by

$$\begin{aligned} \text{ETCB}(Q, k_1, n) = & \frac{D(A + nF)}{nQ(1-y)} + h_{b1} \left[Qy - \frac{DQy}{2x(1-y)} \right] \\ & + h_{b2} \left[k_1 \sigma \sqrt{pQ + b} + \frac{Q(1-y)}{2} + \frac{DQy}{2x(1-y)} \right] \\ & + \frac{\pi D \sigma}{Q(1-y)} \left[\sqrt{pQ + b} \psi(k_1) + (n-1) T_b \psi(k_2) \right] \\ & + \frac{sD}{1-y} \end{aligned} \tag{6}$$

Now, if the buyer follows a deterministic demand, places his order only when the inventory level falls to zero and receives the order instantaneously then $k_1 = k_2 = 0, L = 0, \pi = 0$. Also, if the buyer screens the items received as a single batch and rejects them as a single batch at the end of the screening process then we have $h_{b1} = 0$. Under these assumptions, the above expression for the annual expected total cost for the buyer modifies to

$$\begin{aligned} \text{ETCB}(Q, n) = & \frac{D(A + nF)}{nQ(1-y)} \\ & + h_{b2} \left[\frac{Q(1-y)}{2} + \frac{DQy}{x(1-y)} \right] + \frac{sD}{1-y} \end{aligned} \tag{7}$$

which is the same expression as given in Huang (2004).

If the production process is assumed to be perfect, i.e., $y = 0$, then the annual expected total cost for the buyer given in (6) reduces to

$$ETCB(Q, n, k) = \frac{D(A + nF)}{nQ} + h_{b2} \left[k\sigma\sqrt{pQ + b} + \frac{Q}{2} \right] + \frac{\pi D\sigma\sqrt{pQ + b}\psi(k)}{Q} \tag{8}$$

which is the same expression as given in Ben-Daya and Hariga (2004).

Vendor’s perspective

During the production process, the vendor produces Q items in the first instance and delivers those to the buyer. After that, the vendor delivers a quantity Q to the buyer every $T = \frac{Q(1-y)}{D}$ units of time. This process continues till the vendor’s production run is completed after $\frac{nQ}{P}$ units of time (Fig. 2).

By assumption, the vendor’s production rate for non-defective items is greater than the mean demand rate. Therefore, the vendor’s inventory level gradually increases as long as the production continues and when the production stops, the inventory level starts decreasing according to the demand rate. Then the vendor’s average inventory holding cost (see Fig. 3 for holding area) can be calculated as follows (Huang 2004):

$$EHCV = h_v \frac{Q}{2} \left[(n - 1) - (n - 2) \frac{Dp}{1 - y} \right] \tag{9}$$

The annual expected total cost incurred by the vendor is, thus, obtained as the sum of the setup cost, holding cost, warranty cost for the defective items and production cost (Huang 2004):




Fig. 2 Inventory of the vendor




Fig. 3 Vendor’s inventory holding area

$$ETCV(Q, n) = \frac{BD}{nQ(1 - y)} + h_v \frac{Q}{2} \left[(n - 1) - (n - 2) \frac{Dp}{1 - y} \right] + \frac{wDy}{1 - y} + \frac{cD}{P(1 - y)} \tag{10}$$

If the production process is perfect, i.e., $y = 0$, then (10) reduces to

$$ETCV = \frac{BD}{nQ} + h_v \frac{Q}{2} [n(1 - Dp) - 1 + 2Dp] \tag{11}$$

which is the same expression as given in Ben-Daya and Hariga (2004).

The total cost given in Eq. (10) does not include any investment on part of the vendor to improve the process quality. We now assume that the vendor makes an investment to reduce the number of defective items produced. Assuming a logarithmic investment function of the form $I(y) = \frac{1}{\delta} \ln \left(\frac{y_0}{y} \right)$, the expected annual total cost of the vendor can be obtained as

$$ETCV(Q, y, n) = \frac{BD}{nQ(1 - y)} + h_v \frac{Q}{2} \left[(n - 1) - (n - 2) \frac{Dp}{1 - y} \right] + \frac{wDy}{1 - y} + \frac{\eta}{\delta} \ln \left(\frac{y_0}{y} \right) \tag{12}$$

where η is the fractional opportunity cost. It may be noted here that this logarithmic function is convex in y .

Learning in production

Here we assume that $Q_p = nQ$ units of items are produced in every cycle and the learning in the vendor’s production process follows the learning curve proposed by Wright (1936). In the following, we calculate the vendor’s average cost for the i th cycle, $i = 1, 2, 3, \dots$

The production time for cycle i is given by

$$T_{pi} = \int_{(i-1)Q_p}^{iQ_p} T_1 x^{-l} dx = \frac{T_1 Q_p^{1-l} [i^{1-l} - (i-1)^{1-l}]}{1-l} \tag{13}$$

where l denotes learning exponent.

From (13), the production quantity in the i th cycle can be written as

$$Q(t) = \left[\frac{(1-l)t}{T_1} \left(\frac{1}{i^{1-l} - (i-1)^{1-l}} \right) \right]^{(1/1-l)} \tag{14}$$

The average inventory of the product during the production process in the i th cycle is given by

$$I_{T_{pi}} = \int_0^{T_{pi}} Q(t) dt = \frac{T_1 [i^{1-l} - (i-1)^{1-l}] (nQ)^{2-l}}{2-l} \tag{15}$$

After the production starts in the i th cycle, the time for the first dispatch is given by

$$T_{1i} = \int_{(i-1)nQ}^{Q+(i-1)nQ} T_1 x^{-l} dx = \frac{T_1 Q^{1-l} [(1+(i-1)n)^{1-l} - ((i-1)n)^{1-l}]}{1-l} \tag{16}$$

Now, we calculate the vendor’s average inventory in the i th cycle as follows:

From Fig. 4, we have

$$\text{Area}_{ABFE} = nQT_{1i} = \frac{nT_1 Q^{2-l} [(1+(i-1)n)^{1-l} - ((i-1)n)^{1-l}]}{1-l} \tag{17}$$


$$\text{Area}_{BJHF} = \frac{n(n-1)Q^2(1-y)}{D}$$

$$\text{Area}_{ACGE} = nQT_{pi} = \frac{T_1 (nQ) (nQ)^{1-l} [i^{1-l} - (i-1)^{1-l}]}{1-l} = \frac{T_1 (nQ)^{2-l} [i^{1-l} - (i-1)^{1-l}]}{1-l} \tag{18}$$

Thus, the vendor’s average inventory in the production period of the i th cycle is determined from the three areas given above as

$$I_{T_{di}} = \text{Area}_{ABFE} + \text{Area}_{BJHF} + \text{Area}_{ACGE} = \frac{nT_1 Q^{2-l} [(1+(i-1)n)^{1-l} - ((i-1)n)^{1-l}]}{1-l} + \frac{n(n-1)Q^2(1-y)}{D} - \frac{T_1 (nQ)^{2-l} [i^{1-l} - (i-1)^{1-l}]}{1-l} \tag{19}$$

Fig. 4 Vendor’s total inventory in the i th cycle under learning in production



Thus, the vendor’s average inventory in the i th cycle is

$$\begin{aligned}
 I_{vi} &= I_{T_{pi}} + I_{T_{di}} - \frac{n(n-1)Q^2(1-y)}{2D} \\
 &= \frac{T_1[i^{1-l} - (i-1)^{1-l}](nQ)^{2-l}}{2-l} \\
 &\quad + \frac{nT_1Q^{2-l}[(1+(i-1)n)^{1-l} - (i-1)n^{1-l}]}{1-l} \\
 &\quad + \frac{n(n-1)Q^2(1-y)}{D} - \frac{n(n-1)Q^2(1-y)}{2D} \\
 &\quad - \frac{T_1(nQ)^{2-l}[i^{1-l} - (i-1)^{1-l}]}{1-l} \\
 &= T_1(nQ)^{2-l}i^{1-l} - (i-1)^{1-l} \left[\frac{1}{2-l} - \frac{1}{1-l} \right] \\
 &\quad + \frac{n(n-1)Q^2(1-y)}{D} \\
 &\quad + \frac{nT_1Q^{2-l}[(1+(i-1)n)^{1-l} - (i-1)n^{1-l}]}{1-l} \\
 &= \frac{nT_1Q^{2-l}[(1+(i-1)n)^{1-l} - (i-1)n^{1-l}]}{1-l} \\
 &\quad + \frac{n(n-1)Q^2(1-y)}{D} \\
 &\quad - \frac{T_1(nQ)^{2-l}i^{1-l} - (i-1)^{1-l}}{(2-l)(1-l)}
 \end{aligned} \tag{20}$$

The vendor’s total cost in the i th cycle is

$$\begin{aligned}
 C_{vi}(Q, n) &= A_v + cT_{pi} \\
 &\quad + h_v \left[\frac{nT_1Q^{2-l}[(1+(i-1)n)^{1-l} - (i-1)n^{1-l}]}{1-l} \right. \\
 &\quad + \frac{n(n-1)Q^2(1-y)}{2D} \\
 &\quad \left. - \frac{T_1(nQ)^{2-l}i^{1-l} - (i-1)^{1-l}}{(2-l)(1-l)} \right]
 \end{aligned} \tag{21}$$

On simplification, (21) reduces to

$$\begin{aligned}
 C_{vi}(Q, n) &= A_v + \frac{h_v Q^{2-l}}{P(1-y)} \\
 &\quad \left[\frac{n[(1+(i-1)n)^{1-l} - (i-1)n^{1-l}]}{n^{2-l}(i^{1-l} - (i-1)^{1-l})} \right] \\
 &\quad + h_v \frac{n(n-1)Q^2(1-y)}{2D} \\
 &\quad + \frac{c(nQ)^{1-l}[i^{1-l} - (i-1)^{1-l}]}{P(1-l)}
 \end{aligned} \tag{22}$$

Integrated approach

The annual expected total cost of the integrated system is the sum of the vendor’s and the buyer’s annual expected total costs for the i th production cycle, which is given by

$$\begin{aligned}
 ETC_i(Q, y, k_1, n) &= \frac{D(A+B+nF)}{nQ(1-y)} \\
 &\quad + h_{b1} \left[Qy - \frac{DQy}{2x(1-y)} \right] + h_v \frac{Q(n-1)}{2} \\
 &\quad + h_{b2} \left[k_1 \sigma \sqrt{pQ+b} + \frac{Q(1-y)}{2} + \frac{DQy}{2x(1-y)} \right] \\
 &\quad + \frac{\pi D \sigma}{Q(1-y)} \frac{[\sqrt{pQ+b}\psi(k_1) + (n-1)\sqrt{T_b}\psi(k_2)]}{den} \\
 &\quad + \frac{(s+wy)D}{1-y} \\
 &\quad + \frac{\eta}{\delta} \ln \left(\frac{y_0}{y} \right) + \frac{c(nQ)^{-l}D[i^{1-l} - (i-1)^{1-l}]}{P(1-y)(1-l)} \\
 &\quad + \frac{h_v D Q^{1-l}}{P(1-y)(1-l)} \left[[1+(i-1)n]^{1-l} - [(i-1)n]^{1-l} \right. \\
 &\quad \left. - \frac{n^{1-l}(i^{1-l} - (i-1)^{1-l})}{2-l} \right]
 \end{aligned} \tag{23}$$

Now, assuming the safety factor to be the same for all batches, $j = 1, 2, \dots, n$, i.e., $k_1 = k_2 = k$, and letting the lead-time to be zero and no investment on the part of the vendor, we get,

$$\begin{aligned}
 ETC_i &= \frac{D}{nQ(1-y)} [A+B+nF] + \frac{(s+wy)D}{1-y} \\
 &\quad + \frac{h_v Q(n-1)}{2} \\
 &\quad + \frac{h_v D Q^{1-l}}{P(1-y)} \left[(1+(i-1)n)^{1-l} - ((i-1)n)^{1-l} \right. \\
 &\quad \left. - \frac{n^{1-l}(i^{1-l} - (i-1)^{1-l})}{2-l} \right] \\
 &\quad + \frac{c(nQ)^{-l}D[i^{1-l} - (i-1)^{1-l}]}{P(1-y)(1-l)} \\
 &\quad + h_{b2} \left[\frac{Q(1-y)}{2} + \frac{DQy}{2x(1-y)} \right] \\
 &\quad + h_{b1} \left[Qy - \frac{DQy}{2x(1-y)} \right]
 \end{aligned} \tag{24}$$

Further, assuming that the buyer does not hold the defective items, but rejects them in a batch at the end of the screening period, we get $h_{b1} = 0$. In this case, Eq. (24) reduces to

$$\begin{aligned}
 ETC_i = & \frac{D}{nQ(1-y)}[A + B + nF] + \frac{(s + wy)D}{1-y} \\
 & + \frac{h_v Q(n-1)}{2} \\
 & + \frac{h_v D Q^{1-l}}{P(1-y)} \left[(1 + (i-1)n)^{1-l} - ((i-1)n)^{1-l} \right. \\
 & \left. - \frac{n^{1-l}(i^{1-l} - (i-1)^{1-l})}{2-l} \right] \\
 & + \frac{c(nQ)^{-l} D [i^{1-l} - (i-1)^{1-l}]}{P(1-y)(1-l)} \\
 & + h_{b2} \left[\frac{Q(1-y)}{2} + \frac{DQy}{2x(1-y)} \right]
 \end{aligned} \tag{25}$$

which is the same expression as given in Khan et al. (2014).

Again, neglecting the learning in production and the cost of production [putting $l = 0$ and $c = 0$ in Eq. (23)], we get

$$\begin{aligned}
 ETC = & \frac{D}{nQ(1-y)}[A + B + nF] + \frac{D(s + wy)}{(1-y)} \\
 & + \frac{h_v Q(n-1)}{2} \\
 & + \frac{h_v QD}{P(1-y)} \left[1 - \frac{n}{2} \right] \\
 & + h_{b1} \left[Qy - \frac{DQy}{2x(1-y)} \right] + \frac{\eta}{\delta} \ln \left(\frac{y_0}{y} \right) \\
 & + h_{b2} \left[\frac{DQy}{2x(1-y)} + \frac{Q(1-y)}{2} + k_1 \sigma \sqrt{pQ + b} \right] \\
 & + \frac{\pi D \sigma}{Q(1-y)} \left[\sqrt{pQ + b} \psi(k_1) + (n-1) \sqrt{T_b} \psi(k_2) \right]
 \end{aligned} \tag{26}$$

Now, if the safety factor is assumed to be the same for all the batches, Eq. (26) reduces to

$$\begin{aligned}
 ETC = & \frac{D}{nQ(1-y)}[A + B + nF] + \frac{D(s + wy)}{(1-y)} \\
 & + \frac{h_v Q}{2} \left[(n-1) - (n-2) \frac{D}{P(1-y)} \right] \\
 & + h_{b1} \left[Qy - \frac{DQy}{2x(1-y)} \right] \\
 & + \frac{\pi D \sigma}{Q(1-y)} \sqrt{pQ + b} \psi(k) + \frac{\eta}{\delta} \ln \left(\frac{y_0}{y} \right) \\
 & + h_{b2} \left[\frac{DQy}{2x(1-y)} + \frac{Q(1-y)}{2} + k_1 \sigma \sqrt{pQ + b} \right]
 \end{aligned} \tag{27}$$

Also, assuming the lead time to be constant instead of a variable quantity in the above equation, we get,

$$\begin{aligned}
 ETC = & \frac{D}{nQ(1-y)}[A + B + nF] + \frac{D(s + wy)}{(1-y)} \\
 & + \frac{h_v Q}{2} \left[(n-1) - (n-2) \frac{D}{P(1-y)} \right] \\
 & + h_{b1} \left[Qy - \frac{DQy}{2x(1-y)} \right] + \frac{\pi D \sigma}{Q(1-y)} \sqrt{L} \psi(k) + \frac{\eta}{\delta} \ln \left(\frac{y_0}{y} \right) \\
 & + h_{b2} \left[\frac{DQy}{2x(1-y)} + \frac{Q(1-y)}{2} + k \sigma \sqrt{L} \right]
 \end{aligned} \tag{28}$$

The cost function in Eq. (28) is the same as given by Dey and Giri (2014).

In the objective function given in Eq. (23), the control parameters are Q, y, k_1 and n of which Q, y, k_1 are positive real numbers ($Q > 0, 0 \leq y \leq y_0, k_1 > 0$) and n is a positive integer. It is not possible to show that the objective function is convex in all four decision variables. However, it can be verified numerically that, for given values of n, i (positive integer) and y ($0 \leq y \leq y_0 \leq 1$), the cost function ETC_i is convex in Q and k_1 . One instance of 3D-graph of ETC_i is shown in Fig. 5.




Fig. 5 Convexity of ETC_i

In the following section, we develop a solution procedure to derive the optimal values of Q, y, k_1 and n such that the joint expected annual total cost ETC_i is minimized.

Solution procedure

To develop a solution algorithm for the proposed model, we assume that for fixed values of i, Q, k_1 and y, ETC_i is convex with respect to real n . Further, we assume that, for fixed values of n, i and y ($0 \leq y \leq y_0 \leq 1$), ETC_i is convex in k_1 and Q and for fixed values of n, i, Q, k_1 , the expected cost function ETC_i is convex in y .

If we consider the first production cycle ($i = 1$), and there is no learning in production ($l = 0$), then considering the safety factor to be equal for all batches ($k_1 = k_2 = k$), ETC_i can be shown to be convex in n (real), k and Q as given below:

$$\frac{\partial^2 ETC_i}{\partial n^2} = \frac{2D(A + K)}{n^3 Q(1 - y)} > 0 \tag{29}$$

$$\begin{aligned} \frac{\partial^2 ETC_i}{\partial k^2} &= \frac{D\sqrt{pQ + b}\sigma\pi\phi(k)}{Q(1 - y)} > 0 \\ \frac{\partial^2 ETC_i}{\partial Q^2} &= \frac{2DG(n)}{Q^3(1 - y)} - \frac{h_{b2}k\sigma p^2}{4(pQ + b)^{\frac{3}{2}}} \\ &+ \frac{\pi D\sigma\psi(k)}{(1 - y)} \left[\frac{2\sqrt{pQ + b}}{Q^3} \right. \\ &\left. - \frac{p}{Q^2\sqrt{pQ + b}} - \frac{p^2}{4Q(pQ + b)^{\frac{3}{2}}} \right] > 0 \end{aligned} \tag{30}$$

$$\begin{aligned} &= \frac{2DG(n)}{Q^3(1 - y)} - \frac{h_{b2}k\sigma p^2}{4(pQ + b)^{\frac{3}{2}}} \\ &+ \frac{8b^2 + 12pQb + 3p^2Q^2}{4Q^3(pQ + b)^{\frac{3}{2}}} \end{aligned} \tag{31}$$

where $G(n) = \frac{A+B+nF}{n}$.

It is to be noted here that the sum of the first and third terms in Eq. (31) is much greater than the second term. Hence, the second derivative in (31) is effectively positive.

Hence, from Eqs. (30) and (31), ETC_i is seen to be convex in k and Q for fixed values of n and y ($0 \leq y \leq y_0 \leq 1$). Although y is bounded, it is not possible to prove conclusively that ETC_i is convex in y . So, in order to arrive at an optimal solution, the procedure suggested by Dey and Giri (2014) is followed here:

For fixed value of n , the first derivative of ETC_i w.r.t. k is set to zero. That is,

$$\frac{\partial ETC_i}{\partial k} = h_{b2} + \frac{\pi D}{Q(1 - y)}(F(k) - 1) = 0 \tag{32}$$

where $F(\cdot)$ is the cumulative distribution function.

This gives

$$\bar{F}(k) = \frac{h_{b2}Q(1 - y)}{\pi D} \tag{33}$$

where $\bar{F}(\cdot) = 1 - F(\cdot)$.

Next, taking the first derivatives of ETC with respect to Q and y and setting those equal to zero, we get

$$\begin{aligned} \frac{\partial ETC_i}{\partial Q} &= -\frac{DG(n)}{Q^2(1 - y)} + yh_{b1} \left\{ 1 - \frac{D}{2x(1 - y)} \right\} \\ &+ h_{b2} \left\{ \frac{1 - y}{2} + \frac{Dy}{2x(1 - y)} \right\} \\ &+ \frac{h_{b2}k\sigma p}{2\sqrt{pQ + b}} \\ &+ \frac{h_v}{2} \left\{ -1 + n \left(1 - \frac{Dp}{1 - y} \right) + \frac{2Dp}{1 - y} \right\} \\ &- \frac{\pi D\sigma\psi(k)}{(1 - y)} \\ &\left[-\frac{\sqrt{pQ + b}}{Q^2} + \frac{p}{2Q\sqrt{pQ + b}} \right] = 0 \end{aligned} \tag{34}$$

and

$$\begin{aligned} \frac{\partial ETC_i}{\partial y} &= \frac{Dw}{1 - y} + \frac{D(s + wy)}{(1 - y)^2} - \frac{\eta}{y\delta} + \frac{DG(n)}{Q(1 - y)^2} \\ &+ Qh_{b1} \left\{ 1 - \frac{D}{2x(1 - y)} \right\} \\ &- \frac{DQyh_{b1}}{2x(1 - y)^2} \\ &+ h_{b2} \left\{ -\frac{Q}{2} + \frac{DQ}{2x(1 - y)} + \frac{DQy}{(1 - y)^2} \right\} \\ &+ \frac{Qh_v}{2} \left\{ \frac{2Dp}{(1 - y)^2} - \frac{Dnp}{(1 - y)^2} \right\} \\ &- \frac{\pi D\sigma\sqrt{pQ + b}\psi(k)}{Q(1 - y)^2} = 0, \end{aligned} \tag{35}$$

respectively. From Eqs. (29)–(35), we see that the control parameters Q, y, k_1 , and n are dependent. So, we follow an iterative procedure and modify the algorithm proposed by Dey and Giri (2014) to obtain the optimal solution of the present problem.

Algorithm

- Step 1: Set $i = 1$ and $ETC^* = \infty$.
- Step 2: Set $n = 1$ and $ETC_i^* = \infty$.
- Step 3: Set $y = y_0, k_1 = 0, k_2 = 0$, compute $\psi(k_1)$ and $\psi(k_2)$ and then compute $Q = Q_0$ using the values of $y_0, k_1, k_2, \psi(k)$ in equation (34).

- Step 4: Compute k_1 from (33) using Q_0, y and $\psi(k_1) = \int_{k_1}^{\infty} (z - k_1)\phi(z)dz$.
- Step 5: Compute k_2 using k_1 and the relation $k_2 = k_1\sqrt{\frac{pQ+b}{T_b}}$.
- Step 6: Compute y from (35) using the values of k and Q_0 obtained in the previous step. If $y \geq y_0$, then we set $y = y_0$.
- Step 7: Compute Q from (34) using the updated values of k and y . If $|Q - Q_0| \leq \epsilon$, then compute $ETC_i(Q, k_1, y, n)$ and go to Step 8. Else, set $Q_0 = Q$ and go to Step 4.
- Step 8: If $ETC_i^* \geq ETC_i$, then set the followings $ETC_i^* = ETC_i, Q^* = Q, y^* = y, k_1^* = k_1, n = n + 1$ and go to Step 3. Else, put $n^* = n - 1$ and stop. The corresponding values of the control parameters for $n^* = n - 1$ give the optimal solution for the fixed value of i .
- Step 9: If $|ETC^* - ETC_i^*| > \epsilon$, set $i = i + 1$ and go to Step 2. Else, stop.

It is to be noted here that we only get a local optimum by adopting the solution procedure mentioned above. Since it is difficult to prove analytically that the objective function ETC_i is convex in all control parameters, we cannot claim that the solution obtained is a global optimum.

Now, we take the partial derivatives of ETC with respect to w, δ, y_0 and get

$$\frac{\partial ETC_i}{\partial w} = \frac{Dy}{1 - y} \tag{36}$$

$$\frac{\partial ETC_i}{\partial \delta} = \frac{-\eta \log\left(\frac{y_0}{y}\right)}{\delta^2} \tag{37}$$




Fig. 6 Convexity of ETC_i with respect to Q and k_1

Table 1 Optimal results

i	n^*	y^*	$I(y^*)$	ETC_i^*
1	6	0.018	2484.16	37,337.00
2	8	0.038	1757.05	9019.69
3	7	0.038	1742.53	8503.22
4	7	0.039	1733.55	8206.35
5	7	0.039	1727.38	8004.13
6	7	0.039	1722.74	7853.41
7	7	0.039	1719.07	7734.70
8	6	0.039	1716.89	7637.37
9	6	0.039	1714.31	7554.80
10	6	0.040	1712.09	7483.97

$$\frac{\partial ETC_i}{\partial y_0} = \frac{\eta}{y_0\delta} \tag{38}$$

From Eq. (36), we can infer that the annual expected total cost ETC_i increases as the warranty cost increases. ETC also increases with an increase in the (original) percentage of defective items, i.e., with an increase in y_0 , as evident from (38). Equation (37) shows that ETC_i decreases as δ increases, i.e., there is a reduction in the number of defective items with each dollar increase in investment. Thus, we can say that our effective total cost may decrease if we improve the process quality. To further showcase the effects of the process quality, the investment option and other model-parameters on the optimal decisions, numerical studies are carried out in the following section.

Numerical results and discussion

For numerical study, we consider the following data set:

$D = 1000, P = 3200, A = 50, F = 35, K = 400, L = 10/365, h_v = 4, h_{b1} = 6, h_{b2} = 10, s = 0.25, x = 175,200, w = 20, \pi = 100, b = 0.01, T_b = 0.005, c = 100,000, l = 0.32, \sigma = 5, y = 0.22, \eta = 0.2, \delta = 0.0002$, in appropriate units.

For fixed values of Q, k_1 and n , we find that the annual expected cost function ETC_i is convex in y ($0 \leq y \leq y_0$), see Fig. 5a. For fixed values of Q, k_1 and y ($0 \leq y \leq y_0$), we find that the annual expected cost function ETC_i is convex in n , see Fig. 5b. Further, the convexity of ETC_i for given values of n and y is shown with the help of a 3D-graph of ETC_i in Fig. 6. From Figs. (5) and (6), we can see that ETC_i is convex w.r.t. $y, n(\text{real}), Q$ and k_1 . Applying the algorithm developed in the previous section, the optimal solution of the model is obtained for consecutive 10 cycles. The results are shown in Table 1.

From Table 1, we see that, as the learning cycle increases, the expected total cost of the system decreases and also the

Table 2 Sensitivity with respect to D

D	i	n^*	y^*	ETC_i^*	$I(y^*)$	Difference
800	1	6	0.023	30,615.40	2273.54	–
	2	8	0.046	7924.98	1562.17	22,690.42
	3	7	0.047	7487.52	1547.29	437.46
	4	7	0.047	7237.43	1538.14	250.09
	5	7	0.047	7067.15	1531.84	170.28
	6	7	0.048	6940.29	1527.12	126.86
	7	6	0.048	6839.45	1524.24	100.84
	8	6	0.048	6756.78	1521.13	82.67
	9	6	0.048	6687.32	1518.50	69.46
	10	6	0.048	6627.75	1516.24	59.57
1000	1	6	0.018	37,337.00	2484.16	–
	2	8	0.038	9019.69	1757.05	28,317.31
	3	7	0.038	8503.22	1742.53	516.47
	4	7	0.039	8206.35	1733.55	296.87
	5	7	0.039	8004.13	1727.38	202.22
	6	7	0.039	7853.41	1722.74	150.72
	7	7	0.039	7734.70	1719.07	118.71
	8	6	0.039	7637.37	1716.89	97.33
	9	6	0.039	7554.80	1714.31	82.57
	10	6	0.040	7483.97	1712.09	70.83
1200	1	7	0.015	43,981.70	2656.75	–
	2	8	0.032	10,029.90	1918.89	33,951.8
	3	8	0.033	9437.35	1903.89	592.55
	4	7	0.033	9096.53	1895.90	340.82
	5	7	0.033	8863.70	1889.84	232.83
	6	7	0.033	8690.12	1885.29	173.58
	7	7	0.033	8553.38	1881.68	136.74
	8	7	0.034	8441.55	1878.72	111.83
	9	7	0.034	8347.58	1876.22	93.97
	10	6	0.034	8266.33	1874.85	81.25

Table 3 Effect of w on the optimal solution

w	i	n^*	y^*	ETC^*	Difference
20	1	6	0.018	37,337.00	–
	2	8	0.038	9019.69	28,317.31
	3	7	0.038	8503.22	516.47
	4	7	0.039	8206.35	296.87
	5	7	0.039	8154.91	202.22
24	1	6	0.017	37,409.90	–
	2	8	0.032	9166.22	28,243.68
	3	7	0.033	8651.82	514.40
	4	7	0.033	8356.24	295.58
	5	7	0.033	8154.91	201.33
30	1	6	0.015	37,509.10	–
	2	7	0.027	9352.16	28,156.94
	3	7	0.027	8839.99	512.17
	4	7	0.027	8545.80	294.19
	5	7	0.028	8345.42	200.38

Table 4 Effect of y_0 on the optimal solution

y_0	i	n^*	y^*	ETC^*	$I(y^*)$
0.05	1	6	0.018	35,856.20	1002.55
	2	8	0.038	7538.09	275.443
	3	7	0.038	7021.62	260.921
	4	7	0.039	6724.75	251.947
	5	7	0.039	6522.52	245.77
0.10	1	6	0.018	36,549.30	1695.70
	2	8	0.038	8231.23	968.59
	3	7	0.038	7714.77	954.068
	4	7	0.038	7417.90	945.094
	5	7	0.039	7215.67	938.917
0.15	1	6	0.018	36,954.80	2101.16
	2	7	0.038	8636.70	1374.05
	3	7	0.038	8120.23	1359.53
	4	7	0.039	7823.36	1350.56
	5	7	0.039	7621.13	1344.38

Table 5 Effect of changes in the production cost on the optimal solution

<i>c</i>	<i>i</i>	<i>n</i> *	<i>ETC</i> *	<i>Q</i> *	Difference
100,000	1	6	34,939.90	94.52	–
	2	8	6621.80	104.975	28,318.1
	3	7	6105.33	110.414	516.47
	4	7	5808.46	106.938	299.87
	5	7	5606.23	104.6	202.23
50,000	1	6	18,969.5	94.9238	–
	2	6	4890.34	109.397	14,079.16
	3	6	4613.46	105.858	276.88
	4	6	4456.57	103.877	156.89
	5	6	4350.12	102.545	106.45
25,000	1	6	10,925.90	95.28	–
	2	5	3970.39	112.938	6955.51
	3	5	3826.83	110.867	143.56
	4	5	3745.89	109.704	80.94
	5	5	3691.12	108.92	54.77

investment made to improve the production process quality also decreases.

We now examine the sensitivity of the optimal results with respect to some important parameters of the model.

Table 2 shows the effects of demand on the optimal results. For each value of *D*, we see that the expected total cost and the investment required to improve the production process quality of the system decrease as the number of cycles increases. It is further seen that an increased demand incurs a greater investment in terms of process quality control. Also, we can see that the smaller the value of *D*, the faster the learning curve becomes plateau.

Table 3 shows the effects of the warranty cost on the optimal result. We see that the percentage of defective items decreases with the increase in the amount of warranty. Table 4 shows that, with an increase in the original percentage of defective items present, *y* also increases. Also, with an increase in *y*₀, the investment needed to improve the production process quality increases.

Table 5 shows that, as the production cost of the system decreases, the expected total cost of the system also decreases. Also it is seen that, a decrease in the value of *c* (vendor’s unit production cost) results in a faster plateauing of the learning curve. From Table 6, we see that the expected total cost and the investment required to improve the production process quality decrease as the learning exponent *l* increases. It is also seen that the average *Q* increases with *l*. All trends found in the results are intuitively correct and are similar to trends obtained in the existing literature.

Table 6 Effect of learning rate on the optimal solution

<i>l</i>	<i>i</i>	<i>n</i> *	<i>y</i> *	<i>ETC</i> *	<i>Q</i> *	Average <i>Q</i>
0.862 (55%)	1	6	0.018	37,337.00	94.52	100.61
	2	5	0.042	5538.94	103.43	
	3	5	0.042	5499.07	102.10	
	4	5	0.042	5481.51	101.50	
	5	5	0.042	5471.43	101.16	
	6	5	0.042	5464.83	100.95	
0.737 (60%)	1	6	0.018	37,337.00	94.52	102.36
	2	5	0.042	5675.51	106.85	
	3	5	0.042	5597.07	104.58	
	4	5	0.042	5560.29	103.52	
	5	5	0.042	5538.31	102.89	
	6	5	0.042	5523.47	102.46	
	7	5	0.042	5512.69	102.15	
	8	5	0.042	5504.45	101.91	
0.32 (80%)	1	6	0.018	37,337.00	94.52	106.20
	2	8	0.038	9091.69	104.98	
	3	7	0.038	8503.22	110.41	
	4	7	0.039	8206.35	106.94	
	5	7	0.039	8004.13	104.60	
	6	7	0.039	7853.41	102.87	
	7	7	0.039	7734.70	101.53	
	8	6	0.039	7637.37	113.07	
	9	6	0.040	7554.80	112.03	
	10	6	0.040	7483.97	111.13	

Concluding remarks

This paper presents a single-vendor single-buyer integrated imperfect production-inventory model with learning in production and investment for process quality improvement. The lead-time is assumed to be lot-size dependent, and the safety stock factor is assumed to be different for the first batch and the rest of the batches. The annual expected total cost of the integrated system is derived and a simple iterative procedure is suggested to obtain the optimal values of the decision variables so as to minimize this cost. Numerical studies show that, as the cumulative number of production cycles increases, the expected annual total cost incurred by the integrated system decreases. It is also seen that the expected annual total cost and the investment required to improve the production process quality decrease, as the value of learning exponent increases. It is further observed that an increased demand rate requires an increased investment to minimize the expected annual cost incurred. There are ample scopes of future research based on the current work. The model studied here can be extended in terms of investment for controllable lead-time. Inspection errors can be introduced into the model as a possible extension. The proposed model can also be studied to include variable shipment size or multiple buyers.

Open Access This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made.

References

- Banerjee A (1986) A joint economic-lot-size model for purchaser and vendor. *Decis Sci* 17:292–311
- Ben-Daya M, Hariga M (2000) Economic lot scheduling problem with imperfect production process. *J Oper Res Soc* 51:875–881
- Ben-Daya M, Hariga M (2004) Integrated single vendor single buyer model with stochastic demand and variable lead-time. *Int J Prod Econ* 92:75–80
- Dey O, Giri BC (2014) Optimal vendor investment for reducing defect rate in a vendor–buyer integrated system with imperfect production process. *Int J Prod Econ* 155:222–228
- Dey O, Giri BC (2018) A new approach to deal with learning in inspection in an integrated vendor-buyer model with imperfect production process. *Comput Ind Eng*. <https://doi.org/10.1016/j.cie.2018.12.028>
- Elmaghraby SE (1990) Economic manufacturing quantities under conditions of learning and forgetting (EMQ/LaF). *Prod Plan Control* 1(4):196–208
- Ghasemy Yaghin R, Fatemi Ghomi SMT, Torabi SA (2014a) Enhanced joint pricing and lotsizing problem in a two-echelon supply chain with logit demand function. *Int J Prod Res* 52:4967–4983
- Ghasemy Yaghin R, Fatemi Ghomi SMT, Torabi SA (2014b) Pricing and lot-sizing decisions in retail industry: a fuzzy chance constraint approach. In: Chakraverty S (ed) *Mathematics of uncertainty modeling in the analysis of engineering and science problems*. IGI Global, pp 268–289. <https://doi.org/10.4018/978-1-4666-4991-0.ch013>.
- Giri BC, Bardhan S (2015) A vendor–buyer JELS model with stock-dependent demand and consigned inventory under buyer’s space constraint. *Oper Res* 15(1):79–93
- Giri BC, Glock CH (2017) A closed-loop supply chain with stochastic product returns and worker experience under learning and forgetting. *Int J Prod Res* 55:6760–6778
- Glock CH (2009) A comment: “Integrated single vendor–single buyer model with stochastic demand and variable lead time”. *Int J Prod Econ* 122:790–792
- Glock CH (2012) Lead time reduction strategies in a single-vendor–single-buyer integrated inventory model with lot size-dependent lead times and stochastic demand. *Int J Prod Econ* 136:37–44
- Glock CH, Jaber MY (2013) A multi-stage production-inventory model with learning and forgetting effects, rework and scrap. *Comput Ind Eng* 64(2):708–720
- Goyal SK (1976) An integrated inventory model for a single supplier–single customer problem. *Int J Prod Res* 15:107–111
- Goyal SK (1988) A joint economic-lot-size model for purchaser and vendor: a comment. *Decis Sci* 19:236–241
- Ha D, Kim SL (1997) Implementation of JIT purchasing: an integrated approach. *Prod Plan Control* 8:152–157
- Hill RM (1997) The single-vendor single-buyer integrated production-inventory model with a generalized policy. *Eur J Oper Res* 97:493–499
- Hill RM (1999) The optimal production and shipment policy for the single-vendor single-buyer integrated production-inventory problem. *Int J Prod Res* 37:2463–2475
- Hosseini Z, Ghasemy Yaghin R, Esmaeili M (2013) A multiple objective approach for joint ordering and pricing planning problem with stochastic lead times. *J Ind Eng Int* 9:29. <https://doi.org/10.1186/2251-712X-9-29>
- Hsiao Y-C (2008a) A note on integrated single vendor single buyer model with stochastic demand and variable lead time. *Int J Prod Econ* 114:294–297
- Hsiao Y-C (2008b) Integrated logistic and inventory model for a two-stage supply chain controlled by the reorder and shipping points with sharing information. *Int J Prod Econ* 115:229–235
- Huang CK (2004) An optimal policy for a single-vendor single-buyer integrated production-inventory problem with process unreliability consideration. *Int J Prod Econ* 91:91–98
- Jaber MY, Bonney M (1996) Production breaks and the learning curve: the forgetting phenomenon. *Appl Math Model* 20(2):162–169
- Jaber MY, Bonney M (1999) The economic manufacture/order quantity (EMQ/EOQ) and the learning curve: past, present, and future. *Int J Prod Econ* 59(1–3):93–102
- Jaber MY, Bonney M (2003) Lot sizing with learning and forgetting in set-ups and in product quality. *Int J Prod Econ* 83(1):95–111
- Khan M, Jaber MY, Ahmed AR (2014) An integrated supply chain model with errors in quality inspections and learning in production. *Omega* 42(1):16–24
- Lin HJ (2012) An integrated supply chain inventory model. *Yugosl J Oper Res*. <https://doi.org/10.2298/YJOR110506019L>
- Li J, Min KJ, Otake T, Voorhis TM (2008) Inventory and investment in setup and quality operations under return on investment maximization. *Eur J Oper Res* 185:593–605
- Mukherjee A, Dey O (2018) An integrated imperfect production-inventory model with lot-size-dependent lead-time and quality control. In: Kar S, Maulik U, Li X (eds) *Operations research and*

- optimization. FOTA 2016. Springer Proceedings in Mathematics and Statistics, vol 225. Springer, Singapore, pp 303–314
- Mukherjee A, Dey O, Giri BC (2019) An integrated imperfect production–inventory model with optimal vendor investment and backorder price discount. In: Chandra P, Giri D, Li F, Kar S, Jana D (eds) Information technology and applied mathematics. Advances in intelligent systems and computing, vol 699. Springer, Singapore, pp 187–203
- Noori-Daryan M, Taleizadeh AA, Jolai F (2019) Analyzing pricing, promised delivery lead time, supplier-selection, and ordering decisions of a multi-national supply chain under uncertain environment. *Int J Prod Econ* 209(2019):236–248
- Otake T, Min KJ (2001) Inventory and investment in quality improvement under return on investment maximization. *Comput Oper Res* 28:113–124
- Otake T, Min KJ, Chen C (1999) Inventory and investment in setup operations under return on investment maximization. *Comput Oper Res* 26:883–899
- Ouyang LY, Wu KS, Ho CH (2006) Analysis of optimal vendor–buyer integrated inventory policy involving defective items. *Int J Adv Manuf Technol* 29:1232–1245
- Pan JC-H, Yang JS (2002) A study of an integrated inventory with controllable lead time. *Int J Prod Res* 40:1263–1273
- Porteus EL (1986) Optimal lot sizing, process quality improvement and setup cost reduction. *Oper Res* 36:137–144
- Salameh MK, Jaber MY (2000) Economic production quantity model with for items with imperfect quality. *Int J Prod Econ* 64:59–64
- Shu H, Zhou X (2013) An optimal policy for a single-vendor and a single-buyer integrated system with setup cost reduction and process-quality improvement. *Int J Syst Sci*. <https://doi.org/10.1080/00207721.2013.786155>
- Taleizadeh AA, Noori-daryan M (2016) Pricing, inventory and production policies in a supply chain of pharmacological products with rework process: a game theoretic approach. *Oper Res Int J* 16:89–115
- Taleizadeh AA, Noori-daryan M, Tavakkoli-Moghaddam R (2015) Pricing and ordering decisions in a supply chain with imperfect quality items and inspection under buyback of defective items. *Int J Prod Res* 53:4553–4582
- Tohidi, H., Namdari, A., Keyser, T.K., & Drzymalski, J. (2017). Information sharing systems and teamwork between sub-teams: a mathematical modeling perspective. *Journal of Industrial Engineering International*. DOI 10.1007/s40092-017-0199-5
- Tohidi, H., Jabbari, M.M., (2012). “Decision role in management to increase effectiveness of an organization”. *Procedia-social and behavioral sciences*, 32: 825-828. <https://doi.org/10.1016/j.sbspro.2011.12.149>
- Tohidi, H., Jabbari, M.M., (2012). “Measuring organizational learning capability”. *Procedia-social and behavioral sciences*, 31, 428-432. <https://doi.org/10.1016/j.sbspro.2011.12.079>
- Tohidi, H., Jabbari, M.M., (2012). The aspects of empowerment of human resource. *Procedia-social and behavioral sciences*, 31, 829 -833. doi:10.1016/j.sbspro.2011.12.150
- Tohidi, H., & KhedriLiraviasl, K. (2012). Six Sigma Methodology and its Relationship with Lean Manufacturing System. *Advances in Environmental Biology*, 6(2): 895-906.
- Wee H, Lo C, Hsu P (2009) A multi-objective joint replenishment inventory model of deteriorated items in a fuzzy environment. *Eur J Oper Res* 197:620–631
- Wright TP (1936) Factors affecting the cost of airplanes. *J Aeronaut Sci* 3(2):122–128